



PARIS

_Refrigerators and freezers. Plug-in installation

The reliable benchmark champion that has changed the retail trade.

PARIS is the world's most reliable refrigeration unit! On the market for more than 20 years, continuously optimised and the longest service life – these are the key features of our ready-to-connect PARIS refrigerator and freezer unit.



LOW COSTS

The low investment outlay and operating costs speak for themselves. In addition, the outer-skin condenser on PARIS provides for completely maintenance-free refrigeration. Ready-to-connect installation means PARIS can be used immediately. It can also be easily combined with overhanging KINLEY XL or KINLEY X5 units.



VISUAL MERCHANDISING

With its deeply curved lid, PARIS offers excellent visibility of the goods on display. Thanks to the height- and width-adjustable product racks and the LED interior lighting, products can be presented perfectly. PARIS has a smooth-running push-pull lid which ensures easy removal of merchandise.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems, thanks to the sophisticated technology and design with AHT e-conomize. The electronically controlled, variable-speed compressor (VS) reduces power consumption by 25%. In addition, the new energy-saving fan saves 0.5 kWh every day.



ENVIRONMENT AND CLIMATE

PARIS units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). R290 has the lowest GWP on the market. This makes them particularly environmentally friendly.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Cooling	+3°C to +15°C ¹
Freezing	-18°C to -23°C
Mince meat/meat chilling	0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

MOST RELIABLE REFRIGERATION UNIT

PARIS is an enduring bestseller – with more than 200,000 units sold and lowest service rates, PARIS is the most reliable refrigeration unit on the market.

OPTIMISED SIZE AND VISIBILITY

Thanks to its low depth, PARIS is particularly suitable for convenience stores and smaller spaces. The panoramic sliding glass covers provide a particularly good view of the produce.





STANDALONE UNIT



IN-LINE UNIT



BLOCK INSTALLATION

CONFIGURATIONS

Solo



Row



Block



Island




- _ optionally with end cabinet on both sides
- _ extendible with commercially available shelf attachments




ACCESSORIES

- _ Scanner strips
- _ Impact protection
- _ Price display for end cabinet (suitable for high cover)
- _ High cover (between the back-to-back units)
- _ Low cover (between the back-to-back units)
- _ Side cover (closes off the island at the sides)
- _ Water protection strip (colour change on customer request)
- _ Vario grid system (rack inserts & wire dividers) & wire basket inserts
- _ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- _ Compatible with the Active Monitoring System (AMS)

PARIS EC 185



PARIS 145 / 210 / 250



DIMENSIONS

PARIS		145	EC 185	210	250
Length, exterior / interior	mm	1,457 / 1,328	1,854 / 1,723	2,102 / 1,973	2,502 / 2,373
Depth, exterior / interior	mm	853 / 723	853 / 723	853 / 723	853 / 723
Height, front / rear	mm	770 / 833	770 / 833	770 / 833	770 / 833
Stacking height, front / rear	mm	550 / 550	550 / 550	550 / 550	550 / 550



MONTREAL SLIM

_Refrigerators and freezers. Plug-in installation

Space-saving eye-catcher

The most stylish AHT appliance for small spaces. MONTREAL SLIM is ideal for smaller shops, although it still offers the largest display area of any AHT refrigerator or freezer.



VISUAL MERCHANDISING

Thanks to vertical glass panels on 3 sides of the end cabinet, MONTREAL SLIM offers best-possible visibility of the goods on display. The smooth-running push-pull lid ensures easy removal of merchandise. Thanks to the height- and width-adjustable product racks, the LED lights and the protective bumper strip with integral price display, produce can be presented perfectly. Another practical feature is that it can be used by two people simultaneously.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems. The electronically controlled, variable-speed compressor (VS) reduces power consumption by 25%. In addition, the new energy-saving fan saves 0.5 kWh every day.



ENVIRONMENT AND CLIMATE

MONTREAL SLIM units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). This makes them particularly environmentally friendly.



INTELLIGENT INSTALLATION

Ready-to-connect installation means that MONTREAL SLIM units can be used immediately. In addition, the outer-skin condenser provides for maintenance-free refrigeration. MONTREAL SLIM appliances are available as in-line and end cabinets. They can be easily combined with overhanging KINLEY XL or KINLEY X5 units.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Cooling	+3°C to +15°C ¹
Freezing	-18°C to -23°C
Mince meat/meat chilling	0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

LARGEST DISPLAY AREA

MONTREAL SLIM SLIDE and MONTREAL SLIM PUSH seamlessly combine attractive visual merchandising with excellent access to produce, thanks to the large glass side panels.

DESIGN

Linear, contemporary design with the largest display area of all AHT refrigerators and freezers. MONTREAL SLIM can be integrated seamlessly into your store concept. The colours and surfaces are adapted individually to your requirements.

PRODUCT ACCESSIBILITY

Thanks to the slide and push lid variants for all MONTREAL units, the best possible access to goods is guaranteed.





STANDALONE UNIT



IN-LINE UNIT



BLOCK INSTALLATION

CONFIGURATIONS

Stand alone



Row




Block



Island



- _ optionally with end cabinet on both sides
- _ extendible with commercially available shelf attachments




ACCESSORIES

- _ Price display for end cabinet (suitable for high cover)
- _ High cover (between the back-to-back units)
- _ Low cover (between the back-to-back units)
- _ Side cover (closes off the island at the sides)
- _ Water protection strip (colour change on customer request)
- _ Vario grid system (rack inserts & wire dividers) & wire basket inserts
- _ Scanner strips
- _ Impact protection
- _ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- _ Compatible with the Active Monitoring System (AMS)


MONTREAL SLIM

175 / 210 / 250



MONTREAL SLIM

EC



DIMENSIONS

MONTREAL SLIM Slide		175	210	EC185	250
Length, exterior / interior	mm	1.752/1.623	2.102/1.973	1.899/1.723	2.502 / 2.373
Depth, exterior / interior	mm	876/723	876/723	1.015/863	876 / 723
Height, front / rear	mm	845/910	845/910	779/910	845 / 910
Stacking height, front / rear	mm	470/530	470/530	450/450	470 / 530
MONTREAL SLIM Push		175	210	EC185	250
Length, exterior / interior	mm	1.753/1.623	2.103/1.973	1.899/1.723	2.503 / 2.373
Depth, exterior / interior	mm	877/723	877/723	1.015/863	887 / 723
Height, front / rear	mm	846/910	846/910	779/910	846 / 910
Stacking height, front / rear	mm	470/530	470/530	450/450	470 / 530



MONTREAL XL

_Refrigerators and freezers. Plug-in installation

Perfect combination: Design & XL volume

Elegant design with largest display area. With its generously sized glass side panels and LED interior lighting, MONTREAL XL guarantees perfect product visibility. The smooth-running sliding cover and easy removal of the goods on display impress customers and boost sales.



VISUAL MERCHANDISING

Thanks to vertical glass panels on 3 sides of the end cabinet, MONTREAL XL offers best-possible visibility of the goods on display. The smooth-running push-pull lid ensures easy removal of merchandise. Thanks to the height- and width-adjustable product racks, the LED lights and the protective bumper strip with integral price display, products can be presented perfectly. Another practical feature is that it can be used by two people simultaneously.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems. The electronically controlled, variable-speed compressor (VS) reduces power consumption by 25%. In addition, the new energy-saving fan saves 0.5 kWh every day.



ENVIRONMENT AND CLIMATE

MONTREAL XL units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). This makes them particularly environmentally friendly. R290 has the lowest global warming potential available on the market.



INTELLIGENT INSTALLATION

Ready-to-connect installation means that MONTREAL XL units can be used immediately. In addition, the outer-skin condenser provides for maintenance-free refrigeration. MONTREAL XL appliances are available as in-line and end cabinets. They can be easily combined with overhanging KINLEY XL or KINLEY X5 units.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Cooling	+3°C to +15°C ¹
Freezing	-18°C to -23°C
Mincemeat/meat chilling	0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

XL VOLUME

MONTREAL XL offers 20% more interior volume than our MONTREAL Slim model. In practical terms, this means that three frozen pizzas fit one behind the other in our refrigerator and freezer.

DESIGN

The most attractive design on the market. Linear, contemporary design with the largest display area of all AHT refrigerators and freezers. MONTREAL XL can be integrated seamlessly into your store concept. The colours and surfaces are adapted individually to your requirements.

PRODUCT ACCESSIBILITY

Thanks to the slide and push lid variants for all MONTREAL units, the best possible access to goods is guaranteed.





STANDALONE UNIT



IN-LINE UNIT



BLOCK INSTALLATION

CONFIGURATIONS

Stand alone



Row




Block



Island



- _ optionally with end cabinet on both sides
- _ extendible with commercially available shelf attachments




ACCESSORIES

- _ Price display for end cabinet (suitable for high cover)
- _ High cover (between the back-to-back units)
- _ Low cover (between the back-to-back units)
- _ Side cover (closes off the island at the sides)
- _ Water protection strip (colour change on customer request)
- _ Vario grid system (rack inserts & wire dividers) & wire basket inserts
- _ Scanner strips
- _ Impact protection
- _ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- _ Compatible with the Active Monitoring System (AMS)


MONTREAL XL

175 / 210 / 250



MONTREAL XL

EC



DIMENSIONS

MONTREAL XL Slide		175	210	EC210	250	EC185
Length, exterior / interior	mm	1,752 / 1,623	2,102 / 1,973	2,149 / 1,973	2,502 / 2,373	1,899 / 1,723
Depth, exterior / interior	mm	1,016 / 863	1,016 / 863	1,015 / 863	1,016 / 863	1,015 / 863
Height, front / rear	mm	845 / 910	845 / 910	779 / 910	845 / 910	779 / 910
Stacking height, front / rear	mm	470 / 530	470 / 530	450 / 450	470 / 530	450 / 450
MONTREAL XL Push		175	210	EC210	250	EC185
Length, exterior / interior	mm	1,753 / 1,623	2,103 / 1,973	2,171 / 1,973	2,503 / 2,373	1,921 / 1,723
Depth, exterior / interior	mm	1,027 / 863	1,027 / 863	1,027 / 863	1,027 / 863	1,027 / 863
Height, front / rear	mm	846 / 910	846 / 910	847 / 910	846 / 910	847 / 910
Stacking height, front / rear	mm	470 / 530	470 / 530	450 / 4	470 / 530	450 / 450



MANHATTAN

_Refrigerators and freezers. Plug-in installation

Innovative and sophisticated.

The sliding cover system is impressively easy to use and is divided lengthwise, allowing products to be accessed from both sides. This variability offers completely new opportunities at the POS and makes the MANHATTAN the flexible all-rounder in individual or in-line placement.



VISUAL MERCHANDISING

Thanks to its deeply curved, specially coated glass cover, MANHATTAN offers excellent visibility of the goods on display. Products can be removed from both sides, thanks to the cover system divided lengthwise. Thanks to the height- and width-adjustable product racks and the LED interior lighting, products can be presented perfectly. The smallest of footprints means that in-line installation is also possible.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems, thanks to the sophisticated technology and design with AHT e-conomize. The electronically controlled, variable-speed compressor (VS) reduces power consumption by 25%. In addition, the new energy-saving fan saves 0.5 kWh every day.



ENVIRONMENT AND CLIMATE

MANHATTAN units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). R290 has the lowest GWP on the market. This makes them particularly environmentally friendly.



LOW COSTS

The low investment outlay and operating costs speak for themselves. In addition, the outer-skin condenser on MANHATTAN provides for completely maintenance-free refrigeration.



INTELLIGENT INSTALLATION

Ready-to-connect installation means MANHATTAN can be used immediately.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Cooling	+3°C to +15°C ¹
Freezing	-18°C to -23°C
Mincemeat/meat chilling	0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

MAXIMUM EASE OF USE

The four glass sliding doors allow MANHATTAN to be opened from every side. You can easily attach price displays to the central divider.

MAXIMUM SIZE

With a net volume of 814 litres, MANHATTAN 210 provides plenty of space for your products. In practical terms, this means that you can accommodate three frozen pizzas, one behind the other.





MANHATTAN 175




MANHATTAN 210

CONFIGURATIONS

Solo

Row







ACCESSORIES

- _ Scanner strip
- _ Water protection strip (colour change on customer request)
- _ Optionally with rollers (picture of the rollers)
- _ Vario grid system (rack inserts & wire dividers), baskets
- _ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- _ Compatible with the Active Monitoring System (AMS)

MANHATTAN

175 / 210



 DIMENSIONS

MANHATTAN			175		210
Length, exterior / interior	mm		1,753 / 1,623		2,103 / 1,973
Depth, exterior / interior	mm		995 / 863		995 / 863
Height, front / rear	mm		804 / 910		804 / 910
Stacking height, front / rear	mm		560 / 560		560 / 560

Subject to technical changes; errors and omissions excepted. Version: 01/2022



AHT Cooling Systems GmbH

Werksgasse 57
 8786 Rottenmann | Austria
 p. +43 3614 24 51-000
 sales@aht.at
 www.aht.at



MIAMI

_Refrigerators and freezers. Plug-in installation

Reliability, efficiency and selling space.

MIAMI stands for maximum energy efficiency and the very best innovations. A refrigerator/freezer of the "next generation".



LOW COSTS

The low investment outlay and operating costs speak for themselves. In addition, the outer-skin condenser on MIAMI provides for completely maintenance-free refrigeration. Ready-to-connect installation means MIAMI can be used immediately.



VISUAL MERCHANDISING

With its more deeply curved lid, MIAMI offers excellent visibility of the goods on display. Thanks to the stylish, curved, 3D glass side panel on the end cabinet, the height- and width-adjustable product racks and the LED interior lighting, products can be presented perfectly. Another practical feature is that the shapely, integrated end cabinet is also extra-deep, thereby providing maximum space for product presentation. Furthermore, the low front edge ensures optimum product accessibility. MIAMI has a smooth-running push-pull lid which ensures easy removal of merchandise.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems, thanks to the sophisticated technology and design with AHT e-conomize. In addition, the electronically controlled, variable-speed compressor (VS) ensures maximum energy efficiency.



ENVIRONMENT AND CLIMATE

MIAMI units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). R290 has the lowest GWP on the market. This makes them particularly environmentally friendly.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Cooling	+3°C to +15°C ¹
Freezing	-18°C to -23°C
Mince meat/meat chilling	0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

PERFECT PRODUCT PRESENTATION

The large, deeply curved, forward-facing, panoramic sliding glass covers optimise the merchandise presentation area and visibility of the unit interior. It also impresses with its low height and easy removal of the goods on display.

SMALLER SIZE

Thanks to its compact dimensions, MIAMI is ideal for convenience stores, filling stations and other smaller spaces.





STANDALONE UNIT



IN-LINE UNIT



BLOCK INSTALLATION

CONFIGURATIONS

Solo



Row



Block



Island



- _ optionally with end cabinet on both sides
- _ extendible with commercially available shelf attachments




ACCESSORIES

- _ Price display for end cabinet (suitable for high cover)
- _ High cover (between the back-to-back units)
- _ Low cover (between the back-to-back units)
- _ Side cover (closes off the island at the sides)
- _ Water protection strip (colour change on customer request)
- _ Vario grid system (rack inserts & wire dividers) & wire basket inserts
- _ Scanner strips
- _ Impact protection
- _ Compatible with the Active Monitoring System (AMS)
- _ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)


MIAMI

EC 185



MIAMI

145 / 210 / 250



DIMENSIONS

MIAMI		145	EC 185	210	250
Length, exterior / interior	mm	1,457 / 1,328	1,850 / 1,723	2,102 / 1,973	2,502 / 2,373
Depth, exterior / interior	mm	854 / 723	994 / 863	854 / 723	854 / 723
Height, front / rear	mm	727 / 833	722 / 834	727 / 833	727 / 833
Stacking height, front / rear	mm	510 / 510	480 / 480	510 / 510	510 / 510

Subject to technical changes; errors and omissions excepted. Version: 01/2022

AHT 
a member of **DAIKIN** group

AHT Cooling Systems GmbH
 Werksgasse 57
 8786 Rottenmann | Austria
 p. +43 3614 24 51-000
 sales@aht.at
 www.aht.at



MACAO

_Refrigerators and freezers. Plug-in installation

Ergonomic convenience on a pedestal.

MACAO is the optimum refrigerator and freezer island and its four glass side panels ensure perfect product visibility.



VISUAL MERCHANDISING

Thanks to mist-free glass, MACAO offers excellent visibility of the goods on display from all four sides. Merchandise can also be removed from all four sides and a pedestal provides for additional convenience. The smooth-running, completely encased, lockable sliding glass cover and the LED interior lighting allow products to be presented perfectly.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems, thanks to the sophisticated technology and design with AHT e-conomize. In addition, the electronically controlled, variable-speed compressor (VS) and a new energy-saving fan ensure maximum energy efficiency.



ENVIRONMENT AND CLIMATE

MACAO units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). R290 has the lowest GWP on the market. This makes them particularly environmentally friendly.



INTELLIGENT INSTALLATION

Ready-to-connect installation means MACAO can be used immediately. The refrigeration unit has a one-piece frame, making it extremely robust. In addition, it is 100% UV-resistant and lockable.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Cooling	+3°C to +15°C ¹
Freezing	-18°C to -23°C
Mincemeat/meat chilling	0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

ACCESSIBILITY

Thanks to its pedestal, MACAO is easy to access from all four sides. The customer can stand close to the unit and reach all the products comfortably.

DISPLAY AREA

With its four glass sides and sliding glass cover, MACAO guarantees best-possible visibility of produce for your customers.





MACAO 100



MACAO 145



MACAO 210

CONFIGURATIONS

Solo



Row







ACCESSORIES

- _ Scanner strip
- _ Key lock
- _ Illuminated LED advertising panel
- _ Vario grid system (rack inserts & wire dividers) & baskets & product dividers
- _ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- _ Compatible with the Active Monitoring System (AMS)


MACAO 210




MACAO 100 / 145 / 210



MACAO 145



MACAO 100



DIMENSIONS

MACAO		100	145	210
Length, exterior / interior	mm	999 / 872	1,455 / 1,328	2,100 / 1,973
Depth, exterior / interior	mm	850 / 723	850 / 723	850 / 723
Height, front / rear	mm	900 / 925	900 / 925	900 / 925
Stacking height, front / rear	mm	280 / 280	280 / 280	280 / 280

Subject to technical changes; errors and omissions excepted. Version: 01/2022



AHT Cooling Systems GmbH

Werksgasse 57
 8786 Rottenmann | Austria
 p. +43 3614 24 51-000
 sales@aht.at
 www.aht.at