



**MONTEK
SISTEMI**



KATALOG

**Rashladni sustavi
za trgovinu i ugostiteljstvo**





Sve navedene cijene izražene su bez uključenog PDV-a.

Porez na dodanu vrijednost obračunava se naknadno, sukladno važećim zakonskim propisima.

THIN COOLER WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	390 x 475 x 1880 mm
Packaging Dimensions (WxDxH)	450 x 550 x 2080 mm
Net Volume lt	133 Lt
Gross Volume lt	160 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	55
Load capacity CNT 40' / 40' HC	110 / 131

574.20 €

THIN COOLER BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	390 x 475 x 1880 mm
Packaging Dimensions (WxDxH)	450 x 550 x 2080 mm
Net Volume lt	133 Lt
Gross Volume lt	160 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	55
Load capacity CNT 40' / 40' HC	110 / 131

585.80 €

ICOOL 401 WHT




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 649 x 1801 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2005 mm
Gross Volume lt	360 Lt
Load capacity CNT 40'	57
Load capacity CNT 40' HC	71

729.35 €

ICOOL 401 BLK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 649 x 1801 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2005 mm
Gross Volume lt	360 Lt
Load capacity CNT 40'	57
Load capacity CNT 40' HC	71

729.35 €

ICOOL 401 G SZ WHT



SUBZERO Visicooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 651 x 1861 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2058 mm
Gross Volume lt	360 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	54

854.05 €

ICOOL 402 G SZ WHT



SUBZERO Visicooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 651 x 1861 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2058 mm
Gross Volume lt	360 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	54

854.05 €

ICOOL 402 G SZ BLK



SUB ZERO



SUBZERO Visicooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 651 x 1861 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2058 mm
Gross Volume lt	360 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	54

854.05 €

ICOOL 401 C BLACK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 648 x 2005 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2208 mm
Gross Volume lt	360 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' - 40' HC	54

801.85 €

NORA 200



Visicooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	540 x 560 x 1325 mm
Packaging Dimensions (WxDxH)	580 x 595 x 1370 mm
Net Volume lt	178 Lt
Gross Volume lt	200 Lt
Load capacity CNT 40' / 40' HC	136

362.50 €

NORA 240




Visicooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	540 x 560 x 1525 mm
Packaging Dimensions (WxDxH)	580 x 595 x 1570 mm
Net Volume lt	218 Lt
Gross Volume lt	240 Lt
Load capacity CNT 40' / 40' HC	107

404.55 €

NORA 280



Visicooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	540 x 560 x 1725 mm
Packaging Dimensions (WxDxH)	580 x 595 x 1770 mm
Net Volume lt	258 Lt
Gross Volume lt	280 Lt
Load capacity CNT 40' / 40' HC	100

479.95 €

NORA 360




Visicooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	595 x 592 x 1878 mm
Packaging Dimensions (WxDxH)	640 x 640 x 1931 mm
Net Volume lt	354 Lt
Gross Volume lt	388 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' / 40' HC	54

593.05 €

KLIMA 160 WHT




Visicooler

Temperature	0 °C / +20 °C
External Dimensions (WxDxH)	540 x 572 x 1600 mm
Packaging Dimensions (WxDxH)	580 x 619 x 1760 mm
Net Volume lt	263 Lt
Gross Volume lt	268 Lt
Load capacity CNT 20'	36
Load capacity CNT 40'/ 40' HC	80 / 100

968.60 €

KLIMA 160 BLK




Visicooler

Temperature	0 °C / +20 °C
External Dimensions (WxDxH)	540 x 572 x 1600 mm
Packaging Dimensions (WxDxH)	580 x 619 x 1760 mm
Net Volume lt	263 Lt
Gross Volume lt	268 Lt
Load capacity CNT 20'	36
Load capacity CNT 40'/ 40' HC	80 / 100

968.60 €

ILLUMIA 630 BLK



Visicooler

Temperature	-1 °C / +4 °C
External Dimensions (WxDxH)	670 x 830 x 2140 mm
Packaging Dimensions (WxDxH)	694 x 860 x 2300 mm
Net Volume lt	537 Lt
Gross Volume lt	550 Lt
Smart Link Wifi (only receiver)	Optional
Load capacity CNT 40' HC	44

2206.90 €

GN 400 G TN



Visicooler

Temperature	+2°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40'/ 40' HC	54

884.50 €

GN 400 G TN BLK





Visicooler

Temperature	+2°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40'/ 40' HC	54

884.50 €

CL 410 WHT





Visicooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	600 x 700 x 2050 mm
Packaging Dimensions (WxDxH)	630 x 730 x 2100 mm
Net Volume lt	364 Lt
Gross Volume lt	413 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	27
Load capacity CNT 40'/ 40' HC	54

1036.75 €

CL 410 BLK




Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

+1°C / +10°C
600 x 700 x 2050 mm
630 x 730 x 2100 mm
364 Lt
413 Lt
Optional **€275,00** (no assembly)
27
54

1065.75 €

CV 180 BEV




Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

0°C / +10°C
595 x 700 x 1804 mm
645 x 770 x 1996 mm
409 Lt
425 Lt
27
54

1677.65 €

ICOOL 80 WHITE




Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC
Catalogue Page

0°C / +10°C
940 x 615 x 2023 mm
1000 x 685 x 2060 mm
505 Lt
614 Lt
Optional
17
36
B10

1438.40 €

ICOOL 80 BLACK




Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC
Catalogue Page

0°C / +10°C
940 x 615 x 2023 mm
1000 x 685 x 2060 mm
505 Lt
614 Lt
Optional
17
36
B10

1463.05 €

ICOOL 110 WHITE




Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC
Catalogue Page

0°C / +10°C
1130 x 720 x 2023 mm
1185 x 770 x 2100 mm
758 Lt
879 Lt
Optional
15
30
B10

1689.25 €

ICOOL 110 BLACK




Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC
Catalogue Page

0°C / +10°C
1130 x 720 x 2023 mm
1185 x 770 x 2100 mm
758 Lt
879 Lt
Optional
15
30
B10

1713.90 €

CL 801 V2GC SL WHITE




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	940 x 560 x 1983 mm
Packaging Dimensions (WxDxH)	990 x 635 x 2060 mm
Net Volume lt	403 Lt
Gross Volume lt	495 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	41

1334.00 €

CL 801 V2GC SL BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	940 x 560 x 1983 mm
Packaging Dimensions (WxDxH)	990 x 635 x 2060 mm
Net Volume lt	403 Lt
Gross Volume lt	495 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	41

1352.85 €

CL 1100 V2GC SL WHITE




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1130 x 645 x 2023 mm
Packaging Dimensions (WxDxH)	1180 x 720 x 2100 mm
Net Volume lt	670 Lt
Gross Volume lt	764 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30

1593.55 €

CL 1100 V2GC SL BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1130 x 645 x 2023 mm
Packaging Dimensions (WxDxH)	1180 x 720 x 2100 mm
Net Volume lt	670 Lt
Gross Volume lt	764 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30

1616.75 €

CL 1300 V2GC SL WHITE




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1330 x 645 x 2023 mm
Packaging Dimensions (WxDxH)	1380 x 720 x 2100 mm
Net Volume lt	756 Lt
Gross Volume lt	912 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	25

1824.10 €

CL 1300 V2GC SL BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1330 x 645 x 2023 mm
Packaging Dimensions (WxDxH)	1380 x 720 x 2100 mm
Net Volume lt	756 Lt
Gross Volume lt	912 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	25

1845.85 €

COLD WALL 300 INOX





SUBZERO Wall cooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	1350 x 565 x 852 mm
Packaging Dimensions (WxDxH)	1440 x 630 x 1045 mm
Net Volume lt	254 Lt
Gross Volume lt	280 Lt
Load capacity CNT 20'	26
Load capacity CNT 40' / 40' HC	52

1355.75 €

COLD BAR 100 BLK





SUBZERO Back bar cooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 515 x 835 mm
Packaging Dimensions (WxDxH)	640 x 555 x 1040 mm
Net Volume lt	95 Lt
Gross Volume lt	121 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	72
Load capacity CNT 40' / 40' HC	144

607.55 €

COLD BAR 200 BLK




SUBZERO Back bar cooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	900 x 526 x 835 mm
Packaging Dimensions (WxDxH)	940 x 555 x 1040 mm
Net Volume lt	150 Lt
Gross Volume lt	188 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	100

881.60 €

COLD BAR 300 BLK





SUBZERO Back bar cooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	1350 x 526 x 835 mm
Packaging Dimensions (WxDxH)	1390 x 555 x 1040 mm
Net Volume lt	241 Lt
Gross Volume lt	293 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	66

1196.25 €

COLD BAR 100 INOX




SUBZERO Back bar cooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 515 x 835 mm
Packaging Dimensions (WxDxH)	640 x 555 x 1040 mm
Net Volume lt	95 Lt
Gross Volume lt	121 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	72
Load capacity CNT 40' / 40' HC	144

655.40 €

COLD BAR 200 INOX



SUBZERO Back bar cooler



Temperature	-2°C / +10°C
External Dimensions (WxDxH)	900 x 526 x 835 mm
Packaging Dimensions (WxDxH)	940 x 555 x 1040 mm
Net Volume lt	150 Lt
Gross Volume lt	188 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	100

936.70 €

COLD WALL 300 INOX



SUB ZERO



SUBZERO Wall cooler


Temperature	-2°C / +10°C
External Dimensions (WxDxH)	1350 x 565 x 852 mm
Packaging Dimensions (WxDxH)	1440 x 630 x 1045 mm
Net Volume lt	254 Lt
Gross Volume lt	280 Lt
Load capacity CNT 20'	26
Load capacity CNT 40' / 40' HC	52

1355.75 €

COLD BAR 100 BLK



SUB ZERO



SUBZERO Back bar cooler



Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 515 x 835 mm
Packaging Dimensions (WxDxH)	640 x 555 x 1040 mm
Net Volume lt	95 Lt
Gross Volume lt	121 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	72
Load capacity CNT 40' / 40' HC	144

607.55 €

COLD BAR 200 BLK



SUB ZERO



SUBZERO Back bar cooler


Temperature	-2°C / +10°C
External Dimensions (WxDxH)	900 x 526 x 835 mm
Packaging Dimensions (WxDxH)	940 x 555 x 1040 mm
Net Volume lt	150 Lt
Gross Volume lt	188 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	100

881.60 €

COLD BAR 300 BLK



SUB ZERO



SUBZERO Back bar cooler



Temperature	-2°C / +10°C
External Dimensions (WxDxH)	1350 x 526 x 835 mm
Packaging Dimensions (WxDxH)	1390 x 555 x 1040 mm
Net Volume lt	241 Lt
Gross Volume lt	293 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	66

1196.25 €

COLD BAR 100 INOX



SUB ZERO



SUBZERO Back bar cooler



Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 515 x 835 mm
Packaging Dimensions (WxDxH)	640 x 555 x 1040 mm
Net Volume lt	95 Lt
Gross Volume lt	121 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	72
Load capacity CNT 40' / 40' HC	144

655.40 €

COLD BAR 200 INOX



SUB ZERO




SUBZERO Back bar cooler


Temperature	-2°C / +10°C
External Dimensions (WxDxH)	900 x 526 x 835 mm
Packaging Dimensions (WxDxH)	940 x 555 x 1040 mm
Net Volume lt	150 Lt
Gross Volume lt	188 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	100

935.25 €

COLD BAR 300 INOX



SUB ZERO




SUBZERO Back bar cooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	1350 x 526 x 835 mm
Packaging Dimensions (WxDxH)	1390 x 555 x 1040 mm
Net Volume lt	241 Lt
Gross Volume lt	293 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	66

1268.75 €

S 85 XH





Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 530 x 835 mm
Packaging Dimensions (WxDxH)	645 x 570 x 1020 mm
Net Volume lt	100 Lt
Gross Volume lt	121 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	72
Load capacity CNT 40' / 40' HC	144

568.40 €

S 185 XH






Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	900 x 530 x 835 mm
Packaging Dimensions (WxDxH)	950 x 570 x 1020 mm
Net Volume lt	150 Lt
Gross Volume lt	188 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	96

785.90 €

S 285 XH




Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1350 x 530 x 835 mm
Packaging Dimensions (WxDxH)	1400 x 570 x 1020 mm
Net Volume lt	241 Lt
Gross Volume lt	293 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	32
Load capacity CNT 40' / 40' HC	64

1077.35 €

S 98 XH




Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 530 x 896 mm
Packaging Dimensions (WxDxH)	645 x 570 x 1080 mm
Net Volume lt	118 Lt
Gross Volume lt	133 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	72
Load capacity CNT 40' / 40' HC	144

575.65 €

S 198 XH






Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	900 x 530 x 896 mm
Packaging Dimensions (WxDxH)	950 x 570 x 1080 mm
Net Volume lt	196 Lt
Gross Volume lt	207 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	96

797.50 €

S 298 XH

Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	1350 x 530 x 896 mm
Packaging Dimensions (WxDxH)	1400 x 570 x 1080 mm
Net Volume lt	292 Lt
Gross Volume lt	324 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	32
Load capacity CNT 40' / 40' HC	64

1091.85 €

BB 221 SD

Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	1462 x 513 x 860 mm
Packaging Dimensions (WxDxH)	1522 x 575 x 1050 mm
Net Volume lt	201 Lt
Gross Volume lt	315 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	28
Load capacity CNT 40'	60

1648.65 €

BB 322 SD

Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	2002 x 513 x 860 mm
Packaging Dimensions (WxDxH)	2062 x 575 x 1050 mm
Net Volume lt	320 Lt
Gross Volume lt	482 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	20
Load capacity CNT 40'	44

1993.75 €

BB 423 SD

Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	2542 x 513 x 860 mm
Packaging Dimensions (WxDxH)	2605 x 575 x 1050 mm
Net Volume lt	449 Lt
Gross Volume lt	586 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	16
Load capacity CNT 40'	32

2299.70 €

BB 200 GD

Glass doors back bar cooler




Temperature	0°C / +10°C
External Dimensions (WxDxH)	1462 x 513 x 860 mm
Packaging Dimensions (WxDxH)	1522 x 575 x 1050 mm
Net Volume lt	250 Lt
Gross Volume lt	315 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	28
Load capacity CNT 40'	60

1345.60 €

BB 300 GD

Glass doors back bar cooler




Temperature	0°C / +10°C
External Dimensions (WxDxH)	2002 x 513 x 860 mm
Packaging Dimensions (WxDxH)	2062 x 575 x 1050 mm
Net Volume lt	386 Lt
Gross Volume lt	445 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	20
Load capacity CNT 40'	44

1668.95 €

BB 400 GD

Glass doors back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	2542 x 513 x 860 mm
Packaging Dimensions (WxDxH)	2605 x 575 x 1050 mm
Net Volume lt	518 Lt
Gross Volume lt	586 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	16
Load capacity CNT 40'	32

2032.90 €

CKC 100

Glass doors back bar cooler



Temperature	+3°C / +8°C
External Dimensions (WxDxH)	1110 x 510 x 566 mm
Packaging Dimensions (WxDxH)	1170 x 570 x 640 mm
Net Volume lt	150 Lt
Gross Volume lt	180 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	51
Load capacity CNT 40'	120

1080.25 €

CL 20 FL WHT

Countertop display cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	330 x 396 x 472 mm
Packaging Dimensions (WxDxH)	390 x 458 x 540 mm
Net Volume lt	20 Lt
Gross Volume lt	35 Lt
Load capacity CNT 20'	288
Load capacity CNT 40'	580
Load capacity CNT 40' HC	580

252.30 €

CL 50 FL WHT

Countertop display cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	435 x 486 x 500 mm
Packaging Dimensions (WxDxH)	492 x 558 x 570 mm
Net Volume lt	50 Lt
Gross Volume lt	76 Lt
Load capacity CNT 20'	176
Load capacity CNT 40'	384
Load capacity CNT 40' HC	384

287.10 €

CL 46 FL WHITE

Countertop display cooler



Temperature	+2°C / +10°C
External Dimensions (WxDxH)	475 x 435 x 520 mm
Packaging Dimensions (WxDxH)	520 x 465 x 535 mm
Net Volume lt	46 Lt
Gross Volume lt	48 Lt
Load capacity CNT 20'	220
Load capacity CNT 40'	460
Load capacity CNT 40' HC	575

242.15 €

CL 46 FL BLACK

Countertop display cooler





Temperature	+2°C / +10°C
External Dimensions (WxDxH)	475 x 435 x 520 mm
Packaging Dimensions (WxDxH)	520 x 465 x 535 mm
Net Volume lt	46 Lt
Gross Volume lt	48 Lt
Load capacity CNT 20'	220
Load capacity CNT 40'	460
Load capacity CNT 40' HC	575

242.15 €

CLP 300 PS

Cooler with solid hinged lids





Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1090 x 690 x 860 mm
Packaging Dimensions (WxDxH)	1140 x 710 x 943 mm
Net Volume lt	275 Lt
Gross Volume lt	278 Lt
Load capacity CNT 20'	40
Load capacity CNT 40'	66
Load capacity CNT 40' HC	96

581.45 €

CLP 400 PS

Cooler with solid hinged lids




Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1320 x 690 x 860 mm
Packaging Dimensions (WxDxH)	1370 x 710 x 943 mm
Net Volume lt	349 Lt
Gross Volume lt	352 Lt
Load capacity CNT 20'	28
Load capacity CNT 40'	50
Load capacity CNT 40' HC	75

667.00 €

CLP 400 PSSL

Cooler with solid hinged lids



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1280 x 670 x 820 mm
Packaging Dimensions (WxDxH)	1340 x 730 x 910 mm
Net Volume lt	327 Lt
Gross Volume lt	387 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	50
Load capacity CNT 40' HC	71

722.10 €

BL 65 F

Can cooler




Temperature	0°C / +10°C
External Dimensions (WxDxH)	Ø 445 x 965 mm
Packaging Dimensions (WxDxH)	460 x 460 x 1015 mm
Net Volume lt	62 Lt
Gross Volume lt	65 Lt
Load capacity CNT 20'	120
Load capacity CNT 40'	250
Load capacity CNT 40' HC	250

262.45 €

CLS 372 V WHITE

Visicooler




Temperature	0°C / +5°C
External Dimensions (WxDxH)	600x640x1765 mm
Packaging Dimensions (WxDxH)	650x670x2040 mm
Net Volume lt	305 Lt
Gross Volume lt	308 Lt
Load capacity CNT 40'	71

EKOFROST

611.90 €

CLS 372 V BLACK

Visicooler



Temperature	0°C / +5°C
External Dimensions (WxDxH)	600x640x1765 mm
Packaging Dimensions (WxDxH)	650x670x2040 mm
Net Volume lt	305 Lt
Gross Volume lt	308 Lt
Load capacity CNT 40'	71

EKOFROST

623.50 €

EKG 270 C





Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	540 x 550 x 1560 mm
Packaging Dimensions (WxDxH)	580 x 620 x 1580 mm
Net Volume lt	220 Lt
Gross Volume lt	270 Lt
Load capacity CNT 40'	104

EKOFROST

448.05 €

EKG 380 FL BLK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	595 x 650 x 1795 mm
Packaging Dimensions (WxDxH)	650 x 665 x 1830 mm
Net Volume lt	320 Lt
Gross Volume lt	380 Lt
Load capacity CNT 40'	72

EKOFROST

597.40 €

EKG 390 C




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 655 x 1950 mm
Packaging Dimensions (WxDxH)	650 x 670 x 2050 mm
Net Volume lt	365 Lt
Gross Volume lt	390 Lt
Load capacity CNT 40'	54

EKOFROST

609.00 €

EKG 390 C BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 655 x 1950 mm
Packaging Dimensions (WxDxH)	650 x 670 x 2050 mm
Net Volume lt	365 Lt
Gross Volume lt	390 Lt
Load capacity CNT 40'	54

EKOFROST

623.50 €

EKG 390 VG




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	595 x 655 x 1830 mm
Packaging Dimensions (WxDxH)	650 x 670 x 1940 mm
Net Volume lt	365 Lt
Gross Volume lt	390 Lt
Load capacity CNT 40'	72

EKOFROST

597.40 €

EKG 390 VG BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	595 x 655 x 1830 mm
Packaging Dimensions (WxDxH)	650 x 670 x 1940 mm
Net Volume lt	365 Lt
Gross Volume lt	390 Lt
Load capacity CNT 40'	72

EKOFROST

609.00 €

EKG 450 C



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	650 x 600 x 1950 mm
Packaging Dimensions (WxDxH)	670 x 700 x 1915 mm
Net Volume lt	400 Lt
Gross Volume lt	450 Lt
Load capacity CNT 40'	51

EKOFROST

727.90 €



DESCRIPTION	MODELS	ITEM	PRICE
BLACK METAL SHELF (1PC.)	ICOOL 401 BLACK ICOOL 401 G SZ BLACK ICOOL 401 C BLACK	MNS196	
WHITE METAL SHELF (1PC.)	ICOOL 401 BLACK ICOOL 401 G SZ WHITE	MNS197	
COUPLE WHITE METAL SHELVES	CL 801 V2GC SL WHITE	MNS005	
COUPLE BLACK METAL SHELVES	CL 801 V2GC SL BLACK	MNS091	
COUPLE WHITE METAL SHELVES	CL 1100 V2GC SL WHITE	MNS006	
COUPLE BLACK METAL SHELVES	CL 1100 V2GC SL BLACK	MNS092	
COUPLE WHITE METAL SHELVES	CL 1300 V2GC SL WHITE	MNS007	
COUPLE BLACK METAL SHELVES	CL 1300 V2GC SL BLACK	MNS093	
COUPLE WHITE METAL SHELVES	ICOOL 80 WHITE	MNS067	
COUPLE BLACK METAL SHELVES	ICOOL 80 BLACK	MNS068	
COUPLE WHITE METAL SHELVES	ICOOL 110 WHITE	MNS069	
COUPLE BLACK METAL SHELVES	ICOOL 110 BLACK	MNS070	
BLACK METAL SHELF (1PC.)	THIN COOLER BLACK	MNS035	
WHITE METAL SHELF (1PC.)	THIN COOLER WHITE	MNS036	
WOODEN SHELF (1PC.)	CV 180 BEV	MNS215	
METAL SHELF (1PC.)	CV 180 BEV	MNS119	
METAL SHELF (1PC.)	EKG 270 C	MNS064	
METAL SHELF (1PC.)	EKG 450 C	MNS094	
WHITE METAL SHELF (1PC.)	EKG 390 VG C	MNS134	
BLACK METAL SHELF (1PC.)	EKG 390 VG C BLACK	MNS190	
BLACK METAL SHELF (1PC.)	EKG 380 FL BLACK	MNS217	
WHITE METAL SHELF (1PC.)	GN 200 GN 400 PS BT TN	MNS200	
WHITE METAL SHELF (1PC.)	GN 600 PS BT TN	MNS203	
METAL SHELF (1PC.)	S 85 98 XH	MNS001	
LATERAL METAL SHELF (1PC.)	S 185 - 198 - 285 - 298 XH COLD BAR 200 COLD BAR 300 BLK INOX	MNS002	
CENTRAL METAL SHELF (1PC.)	S 285 - 298 XH COLD BAR 200 COLD BAR 300 BLK INOX	MNS003	
SMART LINK WIFI KIT (THERMOSTAT + RECEIVER)	THIN COOLER ICOOL 401 G SZ NORA 200-240-280 GN 400 G TN ICOOL 80 ICOOL 110 CL 801 V2GC SL CL 1100 V2GC SL CL 1300 V2GC SL S 185-185-285 XH S 98-198-298 XH COLD BAR 200-300 BB 221-322-423 SD BB 200-300-400 GD COLD WALL 300	SMART KIT	

CLW 420 L MEDIUM WALNUT




Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C / +10°C / +5°C
655 x 635 x 1880 mm
735 x 715 x 2050 mm
342 Lt
382 Lt
Optional
24

1702.30 €

CLW 420 L NATURAL



Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C / +10°C / +5°C
655 x 635 x 1880 mm
735 x 715 x 2050 mm
342 Lt
382 Lt
Optional
24

1702.30 €

CLW 420 L WHITE




Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C / +10°C / +5°C
655 x 635 x 1880 mm
735 x 715 x 2050 mm
342 Lt
382 Lt
Optional
24

1702.30 €

CLW 420 L BLACK




Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C / +10°C / +5°C
655 x 635 x 1880 mm
735 x 715 x 2050 mm
342 Lt
382 Lt
Optional
24

1702.30 €

CLW 820 L MEDIUM WALNUT




Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C / +10°C / +5°C
1295 x 635 x 1880 mm
1345 x 740 x 2050 mm
684 Lt
764 Lt
Optional
12

3453,90 €

CLW 820 L NATURAL




Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C / +10°C / +5°C
1295 x 635 x 1880 mm
1345 x 740 x 2050 mm
684 Lt
764 Lt
Optional
12

3453,90 €

CLW 820 L WHITE




Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C / +10°C / +5°C
1295 x 635 x 1880 mm
1345 x 740 x 2050 mm
684 Lt
764 Lt
Optional
12

3 453,90 €

CLW 820 L BLACK



Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C / +10°C / +5°C
1295 x 635 x 1880 mm
1345 x 740 x 2050 mm
684 Lt
764 Lt
Optional
12

3 453,90 €

ICOOL 401 W



Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Gross Volume lt
Load capacity CNT 40' / 40' HC

+16°C / +8°C / +5°C | +3°C / +16°C
600 x 651 x 1861 mm
650 x 685 x 2058 mm
360 Lt
54

820.70 €

CLW 300 XH




Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

0°C / +10°C
600 x 530 x 1820 mm
645 x 560 x 2007 mm
243 Lt
300 Lt
Optional
36
72 / 96

874.35 €

CLW 500 XH




Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

0°C / +10°C
900 x 530 x 1820 mm
950 x 560 x 2007 mm
384 Lt
477 Lt
Optional
24
54

1248.45 €

CW 20 G1TB





Wine cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 20'
Load capacity CNT 40'
Load capacity CNT 40' HC

+2°C / +20°C
295 x 573 x 820 mm
332 x 625 x 870 mm
58 Lt
60 Lt
144
305
344

477.05 €

CW 37 G1TB




Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	380 x 578 x 820 mm
Packaging Dimensions (WxDxH)	435 x 655 x 870 mm
Net Volume lt	85 Lt
Gross Volume lt	88 Lt
Load capacity CNT 20'	108
Load capacity CNT 40'	229
Load capacity CNT 40' HC	268

535.05 €

CW 37 G2TB





Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	380 x 578 x 820 mm
Packaging Dimensions (WxDxH)	435 x 655 x 870 mm
Net Volume lt	80 Lt
Gross Volume lt	85 Lt
Load capacity CNT 20'	108
Load capacity CNT 40'	229
Load capacity CNT 40' HC	268

556.80 €

CW 46 G2TB





Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	595 x 573 x 820 mm
Packaging Dimensions (WxDxH)	660 x 625 x 1015 mm
Net Volume lt	143 Lt
Gross Volume lt	148 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	114
Load capacity CNT 40' HC	152

707.60 €

CW 51 G1TB





Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 573 x 820 mm
Packaging Dimensions (WxDxH)	660 x 625 x 1015 mm
Net Volume lt	145 Lt
Gross Volume lt	150 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	114
Load capacity CNT 40' HC	152

665.55 €

DW 82 INOX





Wine cooler

Temperature	0°C / +15°C
External Dimensions (WxDxH)	595 x 628 x 820 mm
Packaging Dimensions (WxDxH)	660 x 588 x 880 mm
Net Volume lt	137 Lt
Gross Volume lt	145 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	114
Load capacity CNT 40' HC	152

1107.80 €



DW 82 BLACK





Wine cooler

Temperature	0°C / +15°C
External Dimensions (WxDxH)	595 x 584 x 820 mm
Packaging Dimensions (WxDxH)	660 x 588 x 880 mm
Net Volume lt	137 Lt
Gross Volume lt	145 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	114
Load capacity CNT 40' HC	152



1083.15 €

VINARIUS 40 BLK

Wine cooler



Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

593.05 €
VINARIUS 40 WHT

Wine cooler



Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

593.05 €
VINARIUS 40 GRY

Wine cooler



Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

593.05 €
VINARIUS 40 GRN

Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

593.05 €
VINARIUS 40 ORN

Wine cooler



Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	580 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

593.05 €
VINARIUS 60 BLK

Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 1600 mm
Packaging Dimensions (WxDxH)	580 x 590 x 1760 mm
Net Volume lt	263 Lt
Gross Volume lt	268 Lt
Load capacity CNT 20'	45
Load capacity CNT 40' / 40' HC	100

1141.15 €

VINARIUS 60 WHT






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 1600 mm
Packaging Dimensions (WxDxH)	580 x 590 x 1760 mm
Net Volume lt	263 Lt
Gross Volume lt	268 Lt
Load capacity CNT 20'	45
Load capacity CNT 40' / 40' HC	100

1141.15 €

VINARIUS 62 BLK





Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 1600 mm
Packaging Dimensions (WxDxH)	580 x 590 x 1760 mm
Net Volume lt	258 Lt
Gross Volume lt	268 Lt
Load capacity CNT 20'	45
Load capacity CNT 40' / 40' HC	100

1177.40 €

VINARIUS 62 WHT



Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 1600 mm
Packaging Dimensions (WxDxH)	580 x 590 x 1760 mm
Net Volume lt	258 Lt
Gross Volume lt	268 Lt
Load capacity CNT 20'	45
Load capacity CNT 40' / 40' HC	100

1177.40 €

CW 120 G1TB




Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 700 x 1210 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1411 mm
Net Volume lt	257 Lt
Gross Volume lt	265 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	108
Load capacity CNT 40' HC	108

1081.70 €

CW 120 G2TB




Wine cooler

Temperature	+2°C / +12°C • +12°C / +20°C
External Dimensions (WxDxH)	595 x 700 x 1210 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1411 mm
Net Volume lt	250 Lt
Gross Volume lt	263 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	108
Load capacity CNT 40' HC	108

1116.50 €


CW 160 G1TB



Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 700 x 1604 mm
Packaging Dimensions (WxDxH)	645 x 770 x 17965 mm
Net Volume lt	358 Lt
Gross Volume lt	375 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

1296.30 €


CW 160 G2TB

Wine cooler

Temperature	+2°C/+12°C +12°C/+20°C
External Dimensions (WxDxH)	595 x 700 x 1604 mm
Packaging Dimensions (WxDxH)	645 x 770 x 17965 mm
Net Volume lt	350 Lt
Gross Volume lt	373 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

1341.25 €
CV 180 BEV

Wine cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	595 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	409 Lt
Gross Volume lt	425 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54


1403.60 €
CW 180 G1TB

Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	409 Lt
Gross Volume lt	425 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54


1503.65 €
CW 180 G2TB

Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	595 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	400 Lt
Gross Volume lt	423 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

1525.40 €
DW 170 1T

Wine cooler



Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 550 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 620 x 1996 mm
Net Volume lt	298 Lt
Gross Volume lt	318 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	57
Load capacity CNT 40' HC	57

1368.80 €
DW 170 2T

Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	595 x 550 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 620 x 1950 mm
Net Volume lt	292 Lt
Gross Volume lt	318 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	57
Load capacity CNT 40' HC	57

1415.20 €

DW 190 SILVER





Wine cooler

Temperature	+2°C / +20°C • 0°C / +15°C
External Dimensions (WxDxH)	595 x 685 x 1795 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	416 Lt
Gross Volume lt	425 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

1789.30 €

DW 190 BLACK




Wine cooler

Temperature	+2°C / +20°C • 0°C / +15°C
External Dimensions (WxDxH)	595 x 685 x 1795 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	416 Lt
Gross Volume lt	425 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

1718.25 €

SLIM WINE SW 112 1TB





Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	450 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	500 x 770 x 1996 mm
Net Volume lt	311 Lt
Gross Volume lt	385 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	69

1364.45 €

SLIM WINE SW 105 2TB




Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	450 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	500 x 770 x 1996 mm
Net Volume lt	305 Lt
Gross Volume lt	385 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	69

1399.25 €

CW 355 G2TB




Wine cooler

Temperature	(2x) +2°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	(2x) 645 x 770 x 1996 mm
Net Volume lt	818 Lt
Gross Volume lt	850 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

3300.20 €


CW 355 G3TB






Wine cooler

Temperature	+2°/+20°C • +2°/+12°C • +12°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	(2x) 645 x 770 x 1996 mm
Net Volume lt	809 Lt
Gross Volume lt	848 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27




3316.15 €

CW 355 G4TB

Wine cooler



Temperature	(2x) +2°/+12°C • (2x) +12°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	(2x) 650 x 770 x 1996 mm
Net Volume lt	800 Lt
Gross Volume lt	846 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

3326.30 €
SW 224 2TB

Wine cooler


Temperature	(2x) +2°/+20°C
External Dimensions (WxDxH)	920 x 690 x 1804 mm
Packaging Dimensions (WxDxH)	1020 x 770 x 1996 mm
Net Volume lt	610 Lt
Gross Volume lt	770 Lt
Load capacity CNT 20'	16
Load capacity CNT 40'	34
Load capacity CNT 40' HC	42

3156.65 €
SW 224 3TB

Wine cooler


Temperature	+2°C /+12°C • +12°C/+20°C
External Dimensions (WxDxH)	920 x 690 x 1804 mm
Packaging Dimensions (WxDxH)	1020 x 770 x 1996 mm
Net Volume lt	616 Lt
Gross Volume lt	770 Lt
Load capacity CNT 20'	16
Load capacity CNT 40'	34
Load capacity CNT 40' HC	42

3172.60 €
SW 224 4TB

Wine cooler

Temperature	(2x) +2°/+12°C • (2x) +12°/+20°C
External Dimensions (WxDxH)	920 x 690 x 1804 mm
Packaging Dimensions (WxDxH)	1020 x 770 x 1996 mm
Net Volume lt	622 Lt
Gross Volume lt	770 Lt
Load capacity CNT 20'	16
Load capacity CNT 40'	34
Load capacity CNT 40' HC	42

3268.30 €
WINELUX 902 BLK

Wine cooler



Temperature	+3°/+20°C
External Dimensions (WxDxH)	900 x 582 x 2305 mm
Packaging Dimensions (WxDxH)	1030 x 670 x 2480 mm
Net Volume lt	576 Lt
Gross Volume lt	695 Lt
Load capacity CNT 40' HC	34

5437.50 €
WINELUX 135 BLK

Wine cooler

Temperature	+3°/+20°C
External Dimensions (WxDxH)	1350 x 582 x 2305 mm
Packaging Dimensions (WxDxH)	1450 x 670 x 2480 mm
Net Volume lt	901 Lt
Gross Volume lt	1086 Lt
Load capacity CNT 40' HC	24

8656.50 €

NORCIA 290 3T





Wine / Cheese and cold cuts cooler

Temperature	+2°/+20°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1065 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1165 x 770 x 1996 mm
Net Volume lt	752 Lt
Gross Volume lt	840 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

4042.60 €

NORCIA 290 4T





Wine / Cheese and cold cuts cooler

Temperature	+2°/+12°C • +12°/+20°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1065 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1165 x 770 x 1996 mm
Net Volume lt	746 Lt
Gross Volume lt	840 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

4078.85 €

NORCIA 300 V





Wine / Cheese and cold cuts cooler

Temperature	0°/+10°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1310 x 770 x 1996 mm
Net Volume lt	850 Lt
Gross Volume lt	880 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

4228.20 €

NORCIA 360 3T





Wine / Cheese and cold cuts cooler

Temperature	2°/+20°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1310 x 770 x 1996 mm
Net Volume lt	752 Lt
Gross Volume lt	840 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

4252.85 €

NORCIA 360 4T




Wine / Cheese and cold cuts cooler

Temperature	+2°/+12°C • +12°/+20°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1310 x 770 x 1996 mm
Net Volume lt	746 Lt
Gross Volume lt	840 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

4274,60 €

SOMMELIER 4




Wine Dispenser

Temperature	+4°C / +18°C
External Dimensions (WxDxH)	650 x 325 x 610 mm
Packaging Dimensions (WxDxH)	715 x 390 x 755 mm
Capacity	4 Bottiglie
Load capacity CNT 20'	144
Load capacity CNT 40'	297
Load capacity CNT 40' HC	396

1737.10 €

SOMMELIER 6




A
G

Wine Dispenser

Temperature	+4°C / +18°C
External Dimensions (WxDxH)	845 x 380 x 641 mm
Packaging Dimensions (WxDxH)	910 x 440 x 800 mm
Capacity	6 Bottiglie
Load capacity CNT 20'	96
Load capacity CNT 40'	201
Load capacity CNT 40' HC	201

2549.10 €

SOMMELIER 8



A
G

Wine Dispenser

Temperature	+4°C / +18°C
External Dimensions (WxDxH)	1002 x 359 x 645 mm
Packaging Dimensions (WxDxH)	1070 x 430 x 800 mm
Capacity	8 Bottiglie
Load capacity CNT 20'	81
Load capacity CNT 40'	171
Load capacity CNT 40' HC	171

3313.25 €



DESCRIPTION	MODELS	ITEM	PRICE
SHELF WITH WOODEN FRONT (1PC.)	ICOOL 401 W	MNS225	
BLACK SHELF (1PC.)	CLW 420 L CLW 820 L	MNS018	
STAINLESS STEEL SHELF (1PC.)	CLW 300 XH	MNS181	
STAINLESS STEEL SHELF LEFT (1PC.)	CLW 500 XH	MNS182	
STAINLESS STEEL SHELF RIGHT (1PC.)	CLW 500 XH	MNS183	
WOODEN SHELF (1PC.)	CLW 420 L CLW 820 L	MNS 060	
WOODEN SHELF (1PC.)	CV 180	MNS 077	
SMART LINK WIFI KIT (THERMOSTAT + RECEIVER)	CLW 420 L CLW 820 L CLW 300 XH CLW 500 XH	SMART KIT	
NITROGEN CYLINDER	SOMMELIER 4 SOMMELIER 6 SOMMELIER 8	BMB 001	

P PASTRY FROZEN PRODUCTS

KILA 46

Pastry cabinet




Temperature	-23° C / -18 °C
External Dimensions (WxDxH)	460 x 610 x 1805 mm
Packaging Dimensions (WxDxH)	500 x 650 x 1870 mm
Net Volume	196 Lt
Gross Volume	213 Lt

1141.15 €

KILA 68

Pastry cabinet



Temperature	-23° C / -18 °C
External Dimensions (WxDxH)	680 x 700 x 2005 mm
Packaging Dimensions (WxDxH)	720 x 740 x 2070 mm
Net Volume	444 Lt
Gross Volume	482 Lt

1532.65 €

GN 400 G BT

Vertical freezer



Temperature	-22° C / -15° C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40'/ 40' HC	54

1067.20 €

GN 400 G BT BLK

Vertical freezer




Temperature	-22° C / -15° C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40'/ 40' HC	54

1067.20 €

THIN FREEZER WHITE

Vertical freezer



Temperature	-22° C / -17° C
External Dimensions (WxDxH)	420 x 600 x 1880 mm
Packaging Dimensions (WxDxH)	460 x 625 x 2060 mm
Net Volume lt	117 Lt
Gross Volume lt	165 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	45
Load capacity CNT 40'/ 40' HC	95 / 114

1054.15 €

THIN FREEZER BLACK

Vertical freezer




Temperature	-22° C / -17° C
External Dimensions (WxDxH)	420 x 600 x 1880 mm
Packaging Dimensions (WxDxH)	460 x 625 x 2060 mm
Net Volume lt	117 Lt
Gross Volume lt	165 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	45
Load capacity CNT 40'/ 40' HC	95 / 114

1054.15 €

PASTRY FROZEN PRODUCTS

FR 410 ST WHT

Pastry cabinet




Temperature	-23° C / -18 °C
External Dimensions (WxDxH)	600 x 700 x 2020 mm
Packaging Dimensions (WxDxH)	850 x 750 x 2100 mm
Net Volume	396 Lt
Gross Volume	418 Lt

1789.30 €

FR 410 ST BLK

Pastry cabinet




Temperature	-23° C / -18 °C
External Dimensions (WxDxH)	600 x 700 x 2020 mm
Packaging Dimensions (WxDxH)	850 x 750 x 2100 mm
Net Volume	396 Lt
Gross Volume	418 Lt

1789.30 €

VICTORIA 65 NFP WHITE/BLACK

Four-sided glass pastry cabinet



Temperature	+2° C / +8° C
External Dimensions (WxDxH)	650 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	760 x 760 x 2170 mm
Net Volume lt	319 Lt
Load capacity CNT 20'	21
Load capacity CNT 40'/ 40' HC	45

2059.00 €

VICTORIA 85 NFP WHITE/BLACK

Four-sided glass pastry cabinet




Temperature	+2° C / +8° C
External Dimensions (WxDxH)	850 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	960 x 760 x 2070 mm
Net Volume lt	439 Lt
Load capacity CNT 20'	18
Load capacity CNT 40'/ 40' HC	36

2401.20 €

VICTORIA 65 NFN WHITE/BLACK

Four-sided glass pastry cabinet



Temperature	-18° C / -21° C
External Dimensions (WxDxH)	650 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	760 x 760 x 2170 mm
Net Volume lt	319 Lt
Load capacity CNT 20'	21
Load capacity CNT 40'/ 40' HC	45

2511.40 €

VICTORIA 85 NFN WHITE/BLACK

Four-sided glass pastry cabinet




Temperature	-18° C / -21° C
External Dimensions (WxDxH)	850 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	960 x 760 x 2070 mm
Net Volume lt	439 Lt
Load capacity CNT 20'	18
Load capacity CNT 40'/ 40' HC	36

3153.75 €

PASTRY FROZEN PRODUCTS

FR 372 VGC ST




Vertical freezer

Temperature	-18°C / -24°C
External Dimensions (WxDxH)	640 x 670 x 2056 mm
Packaging Dimensions (WxDxH)	650 x 710 x 2160 mm
Net Volume lt	361 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' / 40' HC	54

1399.25 €

FR 372 V ST WHITE





Vertical freezer

Temperature	-18°C / -24°C
External Dimensions (WxDxH)	640 x 670 x 1875 mm
Packaging Dimensions (WxDxH)	650 x 710 x 1975 mm
Net Volume lt	361 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' / 40' HC	54

1352.85 €

FR 40 FL WHT





Countertop display freezer

Temperature	-23°C / -18°C
External Dimensions (WxDxH)	475 x 435 x 520 mm
Packaging Dimensions (WxDxH)	520 x 465 x 650 mm
Net Volume lt	36 Lt
Gross Volume lt	40 Lt
Load capacity CNT 20'	165
Load capacity CNT 40' / 40' HC	345 / 460

429.20 €

FR 40 FL BLK





Countertop display freezer

Temperature	-23°C / -18°C
External Dimensions (WxDxH)	475 x 435 x 520 mm
Packaging Dimensions (WxDxH)	520 x 465 x 650 mm
Net Volume lt	36 Lt
Gross Volume lt	40 Lt
Load capacity CNT 20'	165
Load capacity CNT 40' / 40' HC	345 / 460

429.20 €

FR 92 FL WHT





Countertop display freezer

Temperature	-23°C / -18°C
External Dimensions (WxDxH)	595 x 520 x 690 mm
Packaging Dimensions (WxDxH)	635 x 560 x 820 mm
Net Volume lt	88 Lt
Gross Volume lt	92 Lt
Load capacity CNT 20'	102
Load capacity CNT 40' / 40' HC	209 / 231

565.50 €

FR 92 FL BLK



Countertop display freezer


Temperature	-23°C / -18°C
External Dimensions (WxDxH)	595 x 520 x 690 mm
Packaging Dimensions (WxDxH)	635 x 560 x 820 mm
Net Volume lt	88 Lt
Gross Volume lt	92 Lt
Load capacity CNT 20'	102
Load capacity CNT 40' / 40' HC	209 / 231

565.50 €

PASTRY FROZEN PRODUCTS

DELUXE 92 PSV

Four-sided glass pastry bench




Temperature	+2°C / +10°C
External Dimensions (WxDxH)	900 x 740 x 1200 mm
Packaging Dimensions (WxDxH)	980 x 830 x 1350 mm
Net Volume lt	370 Lt
Gross Volume lt	415 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	28 / 56

1870.50 €

DELUXE 93 PSV

Four-sided glass pastry bench




Temperature	+2°C / +10°C
External Dimensions (WxDxH)	900 x 740 x 1300 mm
Packaging Dimensions (WxDxH)	980 x 830 x 1430 mm
Net Volume lt	415 Lt
Gross Volume lt	460 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	28

2093.80 €

DELUXE 122 PSV

Four-sided glass pastry bench



Temperature	+2°C / +10°C
External Dimensions (WxDxH)	1200 x 740 x 1200 mm
Packaging Dimensions (WxDxH)	1280 x 830 x 1350 mm
Net Volume lt	495 Lt
Gross Volume lt	555 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	11
Load capacity CNT 40' / 40' HC	23 / 46

2086.55 €

DELUXE 123 PSV

Four-sided glass pastry bench




Temperature	+2°C / +10°C
External Dimensions (WxDxH)	1200 x 740 x 1300 mm
Packaging Dimensions (WxDxH)	1280 x 830 x 1430 mm
Net Volume lt	550 Lt
Gross Volume lt	610 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	11
Load capacity CNT 40' / 40' HC	23

2347.55 €

DELUXE 152 PSV

Four-sided glass pastry bench




Temperature	+2°C / +10°C
External Dimensions (WxDxH)	1500 x 740 x 1200 mm
Packaging Dimensions (WxDxH)	1580 x 830 x 1350 mm
Net Volume lt	620 Lt
Gross Volume lt	700 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	7
Load capacity CNT 40' / 40' HC	14 / 28

2473.70 €

DELUXE 153 PSV

Four-sided glass pastry bench




Temperature	+2°C / +10°C
External Dimensions (WxDxH)	1500 x 740 x 1300 mm
Packaging Dimensions (WxDxH)	1580 x 830 x 1430 mm
Net Volume lt	690 Lt
Gross Volume lt	770 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	7
Load capacity CNT 40' / 40' HC	14

2849.25 €

PASTRY FROZEN PRODUCTS

DLX 70

Countertop display cooler



Temperature	0°C / +18°C
External Dimensions (WxDxH)	700 x 560 x 730 mm
Packaging Dimensions (WxDxH)	785 x 645 x 850 mm
Net Volume lt	120 Lt
Gross Volume lt	130 lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	50
Load capacity CNT 40' / 40' HC	100 / 150

868.55 €

DLX 90

Countertop display cooler



Temperature	0°C / +18°C
External Dimensions (WxDxH)	900 x 560 x 730 mm
Packaging Dimensions (WxDxH)	985 x 645 x 850 mm
Net Volume lt	160 Lt
Gross Volume lt	175 lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	42
Load capacity CNT 40' / 40' HC	84 / 126

981.65 €

DLH 70

Heated countertop display



Temperature	+30°C / +80°C
External Dimensions (WxDxH)	660 x 530 x 730 mm
Packaging Dimensions (WxDxH)	840 x 610 x 850 mm
Net Volume lt	95 Lt
Gross Volume lt	105 lt
Load capacity CNT 20'	50
Load capacity CNT 40' / 40' HC	100 / 150

548.10 €

DLH 90

Heated countertop display



Temperature	+30°C / +80°C
External Dimensions (WxDxH)	900 x 530 x 730 mm
Packaging Dimensions (WxDxH)	980 x 610 x 850 mm
Net Volume lt	145 Lt
Gross Volume lt	160 lt
Load capacity CNT 20'	42
Load capacity CNT 40' / 40' HC	84 / 126

649.60 €

DLH 120

Heated countertop display



Temperature	+30°C / +80°C
External Dimensions (WxDxH)	1200 x 530 x 730 mm
Packaging Dimensions (WxDxH)	1280 x 610 x 850 mm
Net Volume lt	205 Lt
Gross Volume lt	225 lt
Load capacity CNT 20'	28
Load capacity CNT 40' / 40' HC	56 / 84

829.40 €

SNK 92 R

Heated countertop display




Temperature	+30°C / +90°C
External Dimensions (WxDxH)	460 x 430 x 785 mm
Packaging Dimensions (WxDxH)	560 x 510 x 980 mm
Net Volume lt	97 Lt

593.05 €

PASTRY FROZEN PRODUCTS

PATTY 3.0

Frozen drink maker





Temperature	-8°C / -1,9°C +2°C / +6°C
External Dimensions (WxDxH)	196 x 500 x 453 mm
Packaging Dimensions (WxDxH)	258 x 549 x 507 mm
Tank Volume lt	3 Lt
Load capacity CNT 20'	376
Load capacity CNT 40'	772
Load capacity CNT 40' HC	965

575.65 €

GELO 350 PS

Chest freezer with solid hinged lids





Temperature	-24°C / -18°C
External Dimensions (WxDxH)	1035 x 750 x 880 mm
Packaging Dimensions (WxDxH)	1080 x 760 x 980 mm
Net Volume lt	283 Lt
Gross Volume lt	304 Lt
Load capacity CNT 20'	32
Load capacity CNT 40' / 40' HC	66

468.35 €

GELO 450 PS

Chest freezer with solid hinged lids





Temperature	-24°C / -18°C
External Dimensions (WxDxH)	1275 x 750 x 880 mm
Packaging Dimensions (WxDxH)	1320 x 760 x 980 mm
Net Volume lt	368 Lt
Gross Volume lt	383 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54

584.35 €

GELO 550 PS

Chest freezer with solid hinged lids





Temperature	-24°C / -18°C
External Dimensions (WxDxH)	1535 x 750 x 880 mm
Packaging Dimensions (WxDxH)	1580 x 760 x 980 mm
Net Volume lt	459 Lt
Gross Volume lt	473 Lt
Load capacity CNT 20'	20
Load capacity CNT 40' / 40' HC	44

704.70 €

GELO 650 PS

Chest freezer with solid hinged lids





Temperature	-24°C / -18°C
External Dimensions (WxDxH)	1805 x 750 x 880 mm
Packaging Dimensions (WxDxH)	1850 x 760 x 980 mm
Net Volume lt	560 Lt
Gross Volume lt	567 Lt
Load capacity CNT 20'	20
Load capacity CNT 40' / 40' HC	38

790.25 €

GELO 350 FLP

Chest freezer with flip-flop lids




Temperature	-23°C / -13°C
External Dimensions (WxDxH)	1090 x 680 x 895 mm
Packaging Dimensions (WxDxH)	1130 x 775 x 980 mm
Net Volume lt	283 Lt
Gross Volume lt	304 Lt
Load capacity CNT 40'	30
Load capacity CNT 40' HC	62

491.55 €

PASTRY FROZEN PRODUCTS

GELO 450 FLP

Chest freezer with flip-flop lids




Temperature	-23°C / -13°C
External Dimensions (WxDxH)	1330 x 680 x 895 mm
Packaging Dimensions (WxDxH)	1370 x 775 x 980 mm
Net Volume lt	368 Lt
Gross Volume lt	383 Lt
Load capacity CNT 40'	24
Load capacity CNT 40' HC	50

622.05 €

GELO 550 FLP

Chest freezer with flip-flop lids




Temperature	-23°C / -13°C
External Dimensions (WxDxH)	1610 x 680 x 895 mm
Packaging Dimensions (WxDxH)	1630 x 775 x 980 mm
Net Volume lt	459 Lt
Gross Volume lt	473 Lt
Load capacity CNT 40'	20
Load capacity CNT 40' HC	42

736.60 €

FRC 250 PFF

Chest cooler/freezer flat sliding glass lids




Temperature	0 °C / +10 °C -18 °C / 0 °C
External Dimensions (WxDxH)	834 x 653 x 900 mm
Packaging Dimensions (WxDxH)	880 x 720 x 980 mm
Net Volume lt	180 Lt
Gross Volume lt	256 Lt
Load capacity CNT 40' HC	84

475.60 €

FRC 300 PFF

Chest cooler/freezer flat sliding glass lids




Temperature	0 °C / +10 °C -18 °C / 0 °C
External Dimensions (WxDxH)	1034 x 653 x 900 mm
Packaging Dimensions (WxDxH)	1080 x 720 x 980 mm
Net Volume lt	244 Lt
Gross Volume lt	336 Lt
Load capacity CNT 40' HC	66

542.30 €

FRC 395 PFF

Chest cooler/freezer flat sliding glass lids



Temperature	0 °C / +10 °C -18 °C / 0 °C
External Dimensions (WxDxH)	1234 x 653 x 900 mm
Packaging Dimensions (WxDxH)	1280 x 720 x 980 mm
Net Volume lt	309 Lt
Gross Volume lt	396 Lt
Load capacity CNT 40' HC	54

611.90 €

FRC 500 PFF

Chest cooler/freezer flat sliding glass lids



Temperature	0 °C / +10 °C -18 °C / 0 °C
External Dimensions (WxDxH)	1634 x 653 x 900 mm
Packaging Dimensions (WxDxH)	1680 x 720 x 980 mm
Net Volume lt	439 Lt
Gross Volume lt	516 Lt
Load capacity CNT 40' HC	42

742.40 €

PASTRY FROZEN PRODUCTS

FRC 600 PFF



Chest cooler/freezer flat sliding glass lids

Temperature	0 °C / +10 °C -18 °C / 0 °C
External Dimensions (WxDxH)	1824 x 720 x 900 mm
Packaging Dimensions (WxDxH)	1860 x 720 x 980 mm
Net Volume lt	501 Lt
Gross Volume lt	586 Lt
Load capacity CNT 40' HC	38

861.30 €

FR 500 PS K





Chest freezer with solid hinged lids

Temperature	-18°C / -24°C
External Dimensions (WxDxH)	1555 x 720 x 845 mm
Packaging Dimensions (WxDxH)	1610 x 760 x 920 mm
Net Volume lt	458 Lt
Gross Volume lt	479 Lt
Load capacity CNT 20'	20
Load capacity CNT 40'	42
Load capacity CNT 40' HC	42

725.00 €

FR 600 PS K



Chest freezer with solid hinged lids

Temperature	-18°C / -24°C
External Dimensions (WxDxH)	2055 x 720 x 845 mm
Packaging Dimensions (WxDxH)	2100 x 760 x 920 mm
Net Volume lt	607 Lt
Gross Volume lt	655 Lt
Load capacity CNT 20'	16
Load capacity CNT 40'	32
Load capacity CNT 40' HC	32

942.50 €

FRP 300 PSSL



Chest freezer with solid sliding lids

Temperature	-22°C / -9°C
External Dimensions (WxDxH)	1063 x 670 x 895 mm
Packaging Dimensions (WxDxH)	1120 x 730 x 922 mm
Net Volume lt	256 Lt
Gross Volume lt	304 Lt
Load capacity CNT 20'	32
Load capacity CNT 40'	64
Load capacity CNT 40' HC	90

649.60 €

FRP 400 PSSL



Chest freezer with solid sliding lids

Temperature	-22°C / -9°C
External Dimensions (WxDxH)	1283 x 670 x 895 mm
Packaging Dimensions (WxDxH)	1340 x 730 x 922 mm
Net Volume lt	327 Lt
Gross Volume lt	387 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	50
Load capacity CNT 40' HC	71

722.10 €

FRP 500 PSSL





Chest freezer with solid sliding lids

Temperature	-22°C / -9°C
External Dimensions (WxDxH)	1503 x 670 x 895 mm
Packaging Dimensions (WxDxH)	1560 x 695 x 960 mm
Net Volume lt	398 Lt
Gross Volume lt	470 Lt
Load capacity CNT 20'	20
Load capacity CNT 40'	44
Load capacity CNT 40' HC	59

785.90 €

PASTRY FROZEN PRODUCTS

FR 300 FLP





Chest freezer with flip-flop lids

Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1060 x 630 x 875 mm
Packaging Dimensions (WxDxH)	1080 x 760 x 970 mm
Net Volume lt	275 Lt
Gross Volume lt	288 Lt
Load capacity CNT 20'	30
Load capacity CNT 40'	66
Load capacity CNT 40' HC	66

575.65 €

FR 400 FLP





Chest freezer with flip-flop lids

Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1305 x 630 x 875 mm
Packaging Dimensions (WxDxH)	1360 x 760 x 970 mm
Net Volume lt	373 Lt
Gross Volume lt	391 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	50
Load capacity CNT 40' HC	50

658.30 €

FR 500 FLP






Chest freezer with flip-flop lids

Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1555 x 630 x 875 mm
Packaging Dimensions (WxDxH)	1610 x 760 x 970 mm
Net Volume lt	458 Lt
Gross Volume lt	479 Lt
Load capacity CNT 20'	20
Load capacity CNT 40'	42
Load capacity CNT 40' HC	42

796.05 €

ICE 7




Ice-cream Showcase

Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1305 x 635 x 1240 mm
Packaging Dimensions (WxDxH)	1355 x 700 x 965 mm
Glas unit packaging dimensions (WxDxH)	1390 x 620 x 250 mm
Net /Gross Volume lt	337 Lt / 381 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	44
Load capacity CNT 40' HC	50

1036.75 €

ICE 8



Ice-cream Showcase

Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1555 x 635 x 1240 mm
Packaging Dimensions (WxDxH)	1610 x 700 x 965 mm
Glas unit packaging dimensions (WxDxH)	1650 x 620 x 250 mm
Net /Gross Volume lt	414 Lt / 467 Lt
Load capacity CNT 20'	22
Load capacity CNT 40'	42
Load capacity CNT 40' HC	42

1103.45 €

CREAM 995 BT



Ice-cream deep freezer

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	740 x 1046,5 x 2100 mm
Packaging Dimensions (WxDxH)	760 x 1070 x 2154 mm
Net Volume lt	608 Lt
Gross Volume lt	852 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	33


2005.35 €

PASTRY FROZEN PRODUCTS

PXF 990 TN



C



Pastry cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	740 x 1046,5 x 2100 mm
Packaging Dimensions (WxDxH)	760 x 1070 x 2154 mm
Net Volume lt	608 Lt
Gross Volume lt	852 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	33

1834.25 €

PXF 2100 TN



B



Pastry refrigerated counter

800 SERIES



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 860 mm
Packaging Dimensions (WxDxH)	1540 x 830 x 910 mm
Net Volume lt	268 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

1326.75 €

PXF 2200 TN WITH SPLASHBACK



B



Pastry refrigerated counter

800 SERIES



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 960 mm
Packaging Dimensions (WxDxH)	1550 x 840 x 1010 mm
Net Volume lt	304 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

1400.70 €

PXF 3100 TN



C



Pastry refrigerated counter

800 SERIES



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2020 x 800 x 860 mm
Packaging Dimensions (WxDxH)	2050 x 830 x 910 mm
Net Volume lt	410 Lt
Gross Volume lt	635 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	28

1570.35 €

PXF 3200 TN WITH SPLASHBACK



C



Pastry refrigerated counter

800 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2020 x 800 x 960 mm
Packaging Dimensions (WxDxH)	2050 x 840 x 1010 mm
Net Volume lt	410 Lt
Gross Volume lt	635 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	28

1631.25 €

FR 158 SLC



A
D

Chest freezer curved sliding glass lids

Temperature	<-22°C
External Dimensions (WxDxH)	584 x 694 x 840 mm
Packaging Dimensions (WxDxH)	625 x 770 x 920 mm
Net Volume lt	125 Lt
Gross Volume lt	158 Lt
Load capacity CNT 40' HC	114

EKOFROST

398.75 €

PASTRY FROZEN PRODUCTS

FR 368 SLC



Chest freezer curved sliding glass lids

Temperature	<-22°C
External Dimensions (WxDxH)	1225 x 650 x 830 mm
Packaging Dimensions (WxDxH)	1285 x 735 x 920 mm
Net Volume lt	300 Lt
Gross Volume lt	368 Lt
Load capacity CNT 40' HC	54

EKOFROST

577.10 €

FR 468 SLC



Chest freezer curved sliding glass lids

Temperature	<-22°C
External Dimensions (WxDxH)	1400 x 690 x 830 mm
Packaging Dimensions (WxDxH)	1460 x 765 x 920 mm
Net Volume lt	375 Lt
Gross Volume lt	468 Lt
Load capacity CNT 40' HC	48

EKOFROST

662.65 €

FR 568 SLC



Chest freezer curved sliding glass lids

Temperature	<-22°C
External Dimensions (WxDxH)	1600 x 690 x 830 mm
Packaging Dimensions (WxDxH)	1660 x 765 x 920 mm
Net Volume lt	450 Lt
Gross Volume lt	568 Lt
Load capacity CNT 40' HC	42

EKOFROST

735.15 €

CRN 10



Neutral countertop display

Temperature	Neutral
External Dimensions (WxDxH)	555 x 361 x 312 mm
Packaging Dimensions (WxDxH)	610 x 430 x 370 mm
Net Volume	44 Lt
Gross Volume	44 Lt

EKOFROST

127.60 €

CRN 20



Neutral countertop display

Temperature	Neutral
External Dimensions (WxDxH)	555 x 361 x 379 mm
Packaging Dimensions (WxDxH)	610 x 430 x 440 mm
Net Volume	50 Lt
Gross Volume	50 Lt

EKOFROST

150.80 €

CRN 30



Neutral countertop display

Temperature	Neutral
External Dimensions (WxDxH)	406 x 340 x 618 mm
Packaging Dimensions (WxDxH)	480 x 400 x 680 mm
Net Volume	56 Lt
Gross Volume	60 Lt

EKOFROST

245.05 €

PASTRY FROZEN PRODUCTS

CRB 20



Neutral countertop display

Temperature	Neutral
External Dimensions (WxDxH)	361*605*514 mm
Packaging Dimensions (WxDxH)	430*680*580 mm
Net Volume	59 Lt
Gross Volume	70 Lt

EKOFRÖST

249.40 €

BRD 70




Neutral countertop display

Temperature	Neutral
External Dimensions (WxDxH)	684 x 457 x 516 mm
Packaging Dimensions (WxDxH)	725 x 515 x 590 mm
Net Volume	70 Lt
Gross Volume	100 Lt

EKOFRÖST

503.15 €

BRD 100




Neutral countertop display

Temperature	Neutral
External Dimensions (WxDxH)	989 x 457 x 516 mm
Packaging Dimensions (WxDxH)	1030 x 515 x 590 mm
Net Volume	105 Lt
Gross Volume	150 Lt

EKOFRÖST

674.25 €

CRH 55.1



Heated countertop display

Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	555 x 361 x 312 mm
Packaging Dimensions (WxDxH)	610 x 430 x 370 mm
Net Volume	24 Lt
Gross Volume	35 Lt

EKOFRÖST

284.20 €

CRH 55.2



Heated countertop display

Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	555 x 361 x 379 mm
Packaging Dimensions (WxDxH)	610 x 430 x 440 mm
Net Volume	32 Lt
Gross Volume	50 Lt

EKOFRÖST

311.75 €

CRH 70.2



Heated countertop display

Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	700 x 400 x 372 mm
Packaging Dimensions (WxDxH)	760 x 475x 430 mm
Net Volume	48 Lt
Gross Volume	80 Lt

EKOFRÖST

375.55 €

PASTRY FROZEN PRODUCTS

CRH 70.3



Heated countertop display

Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	700 x 400 x 498 mm
Packaging Dimensions (WxDxH)	760 x 475 x 555 mm
Net Volume	73 Lt
Gross Volume	115 Lt

EKOFRÖST

459.65 €

FOOD 60



Heated countertop display

Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	600*703*704 mm
Packaging Dimensions (WxDxH)	675*790*860 mm
Net Volume	126 Lt
Gross Volume	171 Lt

EKOFRÖST

877.25 €

FOOD 80



Heated countertop display

Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	800*703*704 mm
Packaging Dimensions (WxDxH)	875*790*860 mm
Net Volume	
Gross Volume	

EKOFRÖST


1000.50 €

PASTRY FROZEN PRODUCTS

OPTIONAL



DESCRIPTION	MODELS	ITEM	PRICE
GLASS SHELF (1PC.)	VICTORIA 65 NFN/NFP	MNS126	
GLASS SHELF (1PC.)	VICTORIA 85 NFN/NFP	MNS127	
STAINLESS STEEL SHELF (1PC.)	VICTORIA 65 NFN/NFP	MNS228	
STAINLESS STEEL SHELF (1PC.)	VICTORIA 85 NFN/NFP	MNS232	
SHELF (1PC.)	PXF 990 TN CREAM 995 BT	MNS207	
SMART LINK WIFI KIT (THERMOSTAT + RECEIVER)	DELUXE 92 -122-152 PSV DELUXE 93 -123-153 PSV DLX 70 - 90 DLH 70-90-120 FR 410 ST SLIM FREEZER 225 T THIN FREEZER GN 400 G BT ICE 7 - ICE 8 CREAM 995 BT PXF 990 TN	SMART KIT	



VICTORIA MEAT 65

Meat storage and display cooler




Temperature	-1°C / +5°C
External Dimensions (WxDxH)	650 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	760 x 760 x 2170 mm
Net/Gross Volume lt	319 Lt
Gross Volume lt	340 Lt
Load capacity CNT 20'	21
Load capacity CNT 40' / 40' HC	45

3146.50 €

VICTORIA MEAT 85

Meat storage and display cooler



Temperature	-1°C / +5°C
External Dimensions (WxDxH)	850 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	960 x 760 x 2070 mm
Net Volume lt	439 Lt
Gross Volume lt	450 Lt
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	36

3488.70 €

THIN AGER

Meat storage and display cooler




Temperature	0°C / +4°C
External Dimensions (WxDxH)	390 x 475 x 1880 mm
Packaging Dimensions (WxDxH)	450 x 550 x 2080 mm
Net/Gross Volume lt	133 / 160 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	55
Load capacity CNT 40'	110
Load capacity CNT 40' HC	131

771.40 €

SF 180 INOX

Cabinet for cheese and cold cuts



Temperature	0° C / +20 °C 0° C / +20 °C
External Dimensions (WxDxH)	595 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	441 Lt
Gross Volume lt	455 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' / 40' HC	54

2069.15 €

SUSHI 120

Sushi showcase



Temperature	0°C / +12°C
External Dimensions (WxDxH)	1177 x 406 x 318 mm
Packaging Dimensions (WxDxH)	1260 x 500 x 520 mm
Net Volume lt	31 Lt
Gross Volume lt	42 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	76
Load capacity CNT 40' HC	210

836.65 €

SUSHI 135

Sushi showcase



Temperature	0°C / +12°C
External Dimensions (WxDxH)	1353 x 406 x 318 mm
Packaging Dimensions (WxDxH)	1440 x 500 x 520 mm
Net Volume lt	38 Lt
Gross Volume lt	52 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	64
Load capacity CNT 40' HC	160

900.45 €



SUSHI 150

Sushi showcase



Temperature	0°C / +12°C
External Dimensions (WxDxH)	1529 x 406 x 318 mm
Packaging Dimensions (WxDxH)	1610 x 500 x 520 mm
Net Volume lt	45 Lt
Gross Volume lt	62 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	56
Load capacity CNT 40' HC	155

936.60 €

SUSHI 180

Sushi showcase



Temperature	0°C / +12°C
External Dimensions (WxDxH)	1800 x 406 x 318 mm
Packaging Dimensions (WxDxH)	1880 x 500 x 520 mm
Net Volume lt	59 Lt
Gross Volume lt	82 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	48
Load capacity CNT 40' HC	125

977.30 €

SH 150

Sushi showcase



Temperature	0°C / +6°C
External Dimensions (WxDxH)	1500 x 415 x 300 mm
Packaging Dimensions (WxDxH)	1581 x 557 x 496 mm
Net Volume lt	59,7 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	52
Load capacity CNT 40'	116 / 145

997.60 €

SH 180

Sushi showcase



Temperature	0°C / +6°C
External Dimensions (WxDxH)	1800 x 415 x 300 mm
Packaging Dimensions (WxDxH)	1881 x 557 x 496 mm
Smart Link Wifi (Kit)	Optional
Net Volume lt	76,6 Lt
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	96 / 120

1128.10 €

FISHOW 70

Refrigerated food display cabinet



Temperature	+2°C / +12°C
External Dimensions (WxDxH)	689 x 874 x 419 mm
Packaging Dimensions (WxDxH)	779 x 960 x 610 mm
Net Volume lt	100 Lt
Gross Volume lt	112 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	54
Load capacity CNT 40' HC	144

839.55 €


FISHOW 100

Refrigerated food display cabinet




Temperature	+2°C / +12°C
External Dimensions (WxDxH)	1014 x 874 x 419 mm
Packaging Dimensions (WxDxH)	1104 x 960 x 610 mm
Net Volume lt	148 Lt
Gross Volume lt	160 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	36
Load capacity CNT 40' HC	96

1352.85 €



ABT 03 TOP

Blast chiller





Temperature	-35°C / +5°C
External Dimensions (WxDxH)	600 x 650 x 430 mm
Packaging Dimensions (WxDxH)	730 x 740 x 580 mm
Net Volume lt	30 Lt
Gross Volume lt	33 Lt
Load capacity CNT 40' HC	144

1396.35 €

ABT 05

Blast chiller




Temperature	-35°C / +5°C
External Dimensions (WxDxH)	800 x 877 x 840 mm
Packaging Dimensions (WxDxH)	870 x 955 x 1100 mm
Net Volume lt	102 Lt
Gross Volume lt	156 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	52

2347.55 €

ABT 10

Blast chiller




Temperature	-35°C / +5°C
External Dimensions (WxDxH)	800 x 877 x 1655 mm
Packaging Dimensions (WxDxH)	870 x 955 x 1730 mm
Net Volume lt	130 Lt
Gross Volume lt	169 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	52

3942.55 €

FOOD 80

Blast chiller



Temperature	-40°C / +8°C
External Dimensions (WxDxH)	760 x 730 x 850 mm
Packaging Dimensions (WxDxH)	810 x 770 x 990 mm
Net Volume	45
Gross Volume	145

EKOFROST

1728.40 €

GN 200 PS TN

Gastronorm cabinet




Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 850 mm
Packaging Dimensions (WxDxH)	660 x 725 x 1000 mm
Capacity	200 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	108

530.70 €

GN 200 G TN

Gastronorm cabinet



Temperature	+2°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 850 mm
Packaging Dimensions (WxDxH)	660 x 725 x 1000 mm
Capacity	200 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	108

646.70 €



GN 200 G TN BLK



C



Gastronorm cabinet

Temperature	+2°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 850 mm
Packaging Dimensions (WxDxH)	660 x 725 x 1000 mm
Capacity	200 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	108

646.70 €

GN 200 PS BT



Gastronorm cabinet

Temperature	-22°C / -15°C
External Dimensions (WxDxH)	600 x 625 x 850 mm
Packaging Dimensions (WxDxH)	660 x 725 x 1000 mm
Capacity	200 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	108

568.40 €

GN 200 G BT BLK



Gastronorm cabinet

Temperature	-20°C / -15°C
External Dimensions (WxDxH)	600 x 625 x 850 mm
Packaging Dimensions (WxDxH)	660 x 725 x 1000 mm
Capacity	200 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	108

678.60 €

GN 400 PS TN



D



Gastronorm cabinet

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54

819.25 €

GN 400 PS BT



Gastronorm cabinet


Temperature	-22°C / -15°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54

848,80 €

GN 600 PS TN




C



Gastronorm cabinet


Temperature	0°C / +10°C
External Dimensions (WxDxH)	775 x 760 x 1860 mm
Packaging Dimensions (WxDxH)	850 x 790 x 2000 mm
Capacity	600 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

1032.40 €



GN 600 PS BT

Gastronorm cabinet



Temperature	-22°C / -15°C
External Dimensions (WxDxH)	775 x 760 x 1860
Packaging Dimensions (WxDxH)	850 x 790 x 2000
Capacity	600 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

1055.60 €

GN 400 G TN

Gastronorm cabinet



Temperature	+2°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54

884.50 €

GN 400 G TN BLK

Gastronorm cabinet



Temperature	+2°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54

884.50 €

GN 400 G BT

Gastronorm cabinet



Temperature	-22°C / -15°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54

1067.20 €

GN 400 G BT BLK

Gastronorm cabinet



Temperature	-22°C / -15°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54

1067.20 €

AXF 600 FISH

Fish cabinet



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	680 x 810 x 2000 mm
Packaging Dimensions (WxDxH)	710 x 875 x 2050 mm
Net Volume lt	397 Lt
Gross Volume lt	537 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	21
Load capacity CNT 40' / 40' HC	44

1700.85 €



AXF 350 TN



B



Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	484 x 735 x 2100 mm
Packaging Dimensions (WxDxH)	515 x 765 x 2260 mm
Net Volume lt	228 Lt
Gross Volume lt	292 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	33
Load capacity CNT 40' / 40' HC	67

1352.85 €

AXF 350 BT



D



Stainless steel cabinet


Temperature	-22°C / -18°C
External Dimensions (WxDxH)	484 x 735 x 2100 mm
Packaging Dimensions (WxDxH)	515 x 765 x 2260 mm
Net Volume lt	228 Lt
Gross Volume lt	292 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	33
Load capacity CNT 40' / 40' HC	67

1535.55 €

SNACK 400 TNF



C



Stainless steel cabinet


Temperature	-2°C / +8°C
External Dimensions (WxDxH)	680 x 715 x 2000 mm
Packaging Dimensions (WxDxH)	710 x 740 x 2170 mm
Net Volume lt	293 Lt
Gross Volume lt	500 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48

1210.75 €

SNACK 400 BTF



D



Stainless steel cabinet



Temperature	-22°C / -18°C
External Dimensions (WxDxH)	680 x 715 x 2000 mm
Packaging Dimensions (WxDxH)	710 x 740 x 2170 mm
Net Volume lt	293 Lt
Gross Volume lt	500 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48

1393.45 €

AXF 710 TN



B



Stainless steel cabinet



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	680 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	705 x 905 x 2150 mm
Net Volume lt	428 Lt
Gross Volume lt	514 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39

1287.60 €

AXF 710 BT



C



Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	680 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	705 x 905 x 2150 mm
Net Volume lt	428 Lt
Gross Volume lt	514 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39

1474.65 €



AXF 700 TN



Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	740 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	765 x 855 x 2070 mm
Net Volume lt	427 Lt
Gross Volume lt	685 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39

1233.95 €

AXF 700 TNG



Stainless steel cabinet

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	740 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	765 x 855 x 2070 mm
Net Volume lt	416 Lt
Gross Volume lt	685 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39

1312.25 €

AXF 700 BT



Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	740 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	765 x 855 x 2070 mm
Net Volume lt	427 Lt
Gross Volume lt	685 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39

1410.85 €

AXF 700 BTG




Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	680 x 845 x 2000 mm
Packaging Dimensions (WxDxH)	710 x 875 x 2050 mm
Net Volume lt	339 Lt
Gross Volume lt	537 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	21
Load capacity CNT 40' / 40' HC	44

1954.60 €

AXF 800 TN




Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	740 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	760 x 905 x 2150 mm
Net Volume lt	408 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39

1552.95 €

AXF 800 BT



Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	740 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	760 x 905 x 2150 mm
Net Volume lt	408 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39



1812.50 €



AXF 1520 TN



B



Stainless steel cabinet



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1340 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	1370 x 905 x 2150 mm
Net Volume lt	887 Lt
Gross Volume lt	1152 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	10
Load capacity CNT 40' / 40' HC	21

2099.60 €

AXF 1520 BT



D



Stainless steel cabinet



Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1340 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	1370 x 905 x 2150 mm
Net Volume lt	887 Lt
Gross Volume lt	1152 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	10
Load capacity CNT 40' / 40' HC	21

2288.10 €

AXF 1500 TN



D



Stainless steel cabinet



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1480 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	1505 x 855 x 2070 mm
Net Volume lt	1056 Lt
Gross Volume lt	1476 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	22

1980.70 €

AXF 1500 BT



D



Stainless steel cabinet



Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1480 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	1505 x 855 x 2070 mm
Net Volume lt	1006 Lt
Gross Volume lt	1476 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40' / 40' HC	22

2157.60 €

AXF 1600 TN



A



Stainless steel cabinet



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1420 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	1445 x 905 x 2150 mm
Net Volume lt	940 Lt
Gross Volume lt	1300 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	8
Load capacity CNT 40' / 40' HC	16

2327.25 €

AFX 1600 BT



B



Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1420 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	1445 x 905 x 2150 mm
Net Volume lt	940 Lt
Gross Volume lt	1300 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	8
Load capacity CNT 40' / 40' HC	16


2596.95 €



GN 650 BT



E



Stainless steel cabinet

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 20'
Load capacity CNT 40'/ 40" HC

-22°C / -15°C
740 x 830 x 2010 mm
771 x 861 x 2055 mm
440 Lt
650 Lt
18
41


EKOFROST

1352.85 €

GN 650 TN



C



Stainless steel cabinet

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 20'
Load capacity CNT 40'/ 40" HC

+2°C / +8°C
740 x 830 x 2010 mm
771 x 861 x 2055 mm
440 Lt
650 Lt
18
41



EKOFROST

1122.30 €

GN 1410 TN



D



Stainless steel cabinet

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 20'
Load capacity CNT 40'/ 40" HC

+2°C / +8°C
740 x 830 x 2010 mm
771 x 861 x 2055 mm
440 Lt
650 Lt
7
15



EKOFROST

1916.90 €

GN 1410 BT



E



Stainless steel cabinet

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 20'
Load capacity CNT 40'/ 40" HC

-22°C / -15°C
1480 x 830 x 2010 mm
1511 x 861 x 2055 mm
1035 Lt
1300 Lt
7
15



EKOFROST

2148.90 €

SNACK 2100 TNF



B



Refrigerated counter

600 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40'/ 40" HC



-2°C / +8°C
1360 x 600 x 860 mm
1390 x 630 x 910 mm
155 Lt
260,3 Lt
Optional
26
52

1107.80 €

SNACK 2200 TNF WITH SPLASHBACK



B



Refrigerated counter

600 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40'/ 40" HC

-2°C / +8°C
1360 x 600 x 960 mm
1390 x 630 x 1010 mm
155 Lt
260,3 Lt
Optional
26
52


1165.80 €



SNACK 2100 BTF



D



Refrigerated counter

600 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC



-22°C / -18°C
1360 x 600 x 860 mm
1390 x 630 x 910 mm
155 Lt
260,3 Lt
Optional
26
52

1320.95 €

SNACK 2200 BTF WITH SPLASHBACK



D



Refrigerated counter

600 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC



-22°C / -18°C
1360 x 600 x 960 mm
1390 x 630 x 1010 mm
155 Lt
260,3 Lt
Optional
26
52

1380.40 €

SNACK 3100 TNF



B



Refrigerated counter

600 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC



-2°C / +8°C
1795 x 600 x 860 mm
1825 x 630 x 910 mm
231 Lt
386 Lt
Optional
18
38

1329.65 €

SNACK 3200 TNF WITH SPLASHBACK



B



Refrigerated counter

600 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC


-2°C / +8°C
1795 x 600 x 960 mm
1825 x 630 x 1010 mm
231 Lt
386 Lt
Optional
18
38

1432.60 €

SNACK 3100 BTF



D



Refrigerated counter

600 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC


-22°C / -18°C
1795 x 600 x 860 mm
1825 x 630 x 910 mm
231 Lt
386 Lt
Optional
18
38

1542.80 €

SNACK 3200 BTF WITH SPLASHBACK



D



Refrigerated counter

600 SERIES


Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-22°C / -18°C
1795 x 600 x 960 mm
1825 x 630 x 1010 mm
231 Lt
386 Lt
Optional
18
38

1610.95 €



SNACK 4100 TNF




Refrigerated counter

600 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 600 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 630 x 910 mm
Net Volume lt	312 Lt
Gross Volume lt	511 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	36

1564.55 €

SNACK 4200 TNF WITH SPLASHBACK




Refrigerated counter

600 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 600 x 960 mm
Packaging Dimensions (WxDxH)	2260 x 630 x 1010 mm
Net Volume lt	312 Lt
Gross Volume lt	511 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	36

1600.80 €

SNACK 4100 BTF




Refrigerated counter

600 SERIES

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	2230 x 600 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 630 x 910 mm
Net Volume lt	312 Lt
Gross Volume lt	511 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	36

1783.50 €

SNACK 4200 BTF WITH SPLASHBACK




Refrigerated counter

600 SERIES

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	2230 x 600 x 960 mm
Packaging Dimensions (WxDxH)	2260 x 630 x 1010 mm
Net Volume lt	312 Lt
Gross Volume lt	511 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	36

1819.75 €

CXF 2100 TN




Refrigerated counter

700 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1390 x 730 x 910 mm
Net Volume lt	190 Lt
Gross Volume lt	313,5 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48

1168.70 €

CXF 2200 TN WITH SPLASHBACK



Refrigerated counter

700 SERIES



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1390 x 730 x 1010 mm
Net Volume lt	190 Lt
Gross Volume lt	313,5 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48

1226.70 €



CXF 2100 BT

D



Refrigerated counter

700 SERIES


Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-22°C / -18°C
1360 x 700 x 860 mm
1390 x 730 x 910 mm
190 Lt
313,5 Lt
Optional
24
48

1383.30 €

CXF 2200 BT WITH SPLASHBACK

D



Refrigerated counter



700 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-22°C / -18°C
1360 x 700 x 960 mm
1390 x 730 x 1010 mm
190 Lt
313,5 Lt
Optional
24
48

1442.75 €

CXF 2100 BTN



Refrigerated counter

700 SERIES


Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Gross Volume Couler lt
Gross Volume Freezer lt
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-2°C / +8°C
-2°C / +8°C | -20°C / -10°C
1360 x 700 x 860 mm
1390 x 730 x 910 mm
124 Lt
124 Lt
24
48

1728.40 €

CXF 3100 TN

B



Refrigerated counter

700 SERIES


Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-2°C / +8°C
1795 x 700 x 860 mm
1825 x 730 x 910 mm
291 Lt
358 Lt
Optional
24
38

1377.50 €

CXF 3100 TNG

C



Refrigerated counter

700 SERIES


Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

+2°C / +8°C
1795 x 700 x 860 mm
1825 x 730 x 910 mm
302 Lt
358 Lt
Optional
24
38

1497.85 €

CXF 3200 TN WITH SPLASHBACK

B



Refrigerated counter

700 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC



-2°C / +8°C
1795 x 700 x 960 mm
1825 x 730 x 1010 mm
291 Lt
358 Lt
Optional
24
38

1480.45 €



CXF 3200 TNG WITH SPLASHBACK

B



Refrigerated counter


700 SERIES

Temperature	-+2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1825 x 730 x 1010 mm
Net Volume lt	291 Lt
Gross Volume lt	358 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	38

1605.15 €

CXF 3100 BT

D



Refrigerated counter



700 SERIES

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1825 x 730 x 910 mm
Net Volume lt	281 Lt
Gross Volume lt	358 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	38

1590.65 €

CXF 3200 BT WITH SPLASHBACK

D



Refrigerated counter

700 SERIES



Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1795 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1825 x 730 x 1010 mm
Net Volume lt	281 Lt
Gross Volume lt	358 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	38

1658.80 €

CXF 3110 TN

2 Refrigerated rooms
with N.2 x 1/2 drawers

B



Refrigerated counter

700 SERIES



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1825 x 730 x 910 mm
Net Volume lt	194 Lt
Gross Volume lt	358 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	38

1718.25 €

CXF 3130 TN

2 Refrigerated rooms
with N.3 x 1/3 drawers

B



Refrigerated counter

700 SERIES



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1825 x 730 x 910 mm
Net Volume lt	194 Lt
Gross Volume lt	358 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	38

1869.05 €

CXF 3140 TN

2 Refrigerated rooms
with N.2 x 1/2 drawers

B



Refrigerated counter


700 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1825 x 730 x 910 mm
Net Volume lt	194 Lt
Gross Volume lt	358 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	38

2019.85 €



CXF 3100 BTN



Refrigerated counter


700 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Gross Volume Cooler lt
Gross Volume Freezer lt
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-2°C / +8°C
-2°C / +8°C | -20°C / -10°C
1795 x 700 x 860 mm
1825 x 730 x 910 mm
314 Lt
124 Lt
18
38

1890.80 €

CXF 4100 TN



Refrigerated counter


700 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-2°C / +8°C
2230 x 700 x 860 mm
2260 x 730 x 910 mm
393 Lt
476 Lt
Optional
14
32

1642.85 €

CXF 4100 TNG



Refrigerated counter


700 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

+2°C / +8°C
2230 x 700 x 860 mm
2260 x 730 x 910 mm
393 Lt
476 Lt
Optional
14
32

1783.50 €

CXF 4200 TN WITH SPLASHBACK



Refrigerated counter

700 SERIES


Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-2°C / +8°C
2230 x 700 x 960 mm
2260 x 730 x 1010 mm
393 Lt
476 Lt
Optional
14
32

1679.10 €

CXF 4200 TNG WITH SPLASHBACK

Glass doors version



Refrigerated counter


700 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

-2°C / +8°C
2230 x 700 x 960 mm
2260 x 730 x 1010 mm
393 Lt
476 Lt
Optional
14
32

1821.20 €

CXF 4100 BT



Refrigerated counter

700 SERIES

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC


-22°C / -18°C
2230 x 700 x 860 mm
2260 x 730 x 910 mm
393 Lt
476 Lt
Optional
16
32

1861.80 €



CXF 4200 BT WITH SPLASHBACK

E



Refrigerated counter

700 SERIES


Temperature	-22°C / -18°C
External Dimensions (WxDxH)	2230 x 700 x 960 mm
Packaging Dimensions (WxDxH)	2260 x 730 x 1010 mm
Net Volume lt	393 Lt
Gross Volume lt	476 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32

1896.60 €

CXF 4110 TN

1 Refrigerated room
with N.2 x 1/2 drawers

C



Refrigerated counter

700 SERIES


Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 730 x 910 mm
Net Volume lt	393 Lt
Gross Volume lt	476 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32

1992.30 €

CXF 4120 TN

1 Refrigerated room
with N.2 drawers (1/3+2/3)

C



Refrigerated counter

700 SERIES


Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 730 x 910 mm
Net Volume lt	393 Lt
Gross Volume lt	476 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32

1992.30 €

CXF 4130 TN

1 Refrigerated room
with N.3 x 1/3 drawers

C



Refrigerated counter

700 SERIES


Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 730 x 910 mm
Net Volume lt	393 Lt
Gross Volume lt	476 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32

2143.10 €

CXF 4140 TN

2 Refrigerated rooms
with N.2 x 1/2 drawers

C



Refrigerated counter

700 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 730 x 910 mm
Net Volume lt	393 Lt
Gross Volume lt	476 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32

2293.90 €

SET 2 CASSETTI CXF

Optional for CXF series

Set of 2 x 1/2 drawers AISI 304
for CXF series refrigerated counters




754.00 €



SET 3 CASSETTI CXF



Optional for CXF series
Set of 2 x 1/2 drawers AISI 304
for CXF series refrigerated counters



754.00 €

CLV 2200 TN WITH SPLASHBACK

B





Refrigerated counter 700 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1510 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1540 x 730 x 1010 mm
Net Volume lt	251 Lt
Gross Volume lt	390 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20"	20
Load capacity CNT 40"/ 40" HC	46

1734.20 €

CLV 3200 TN WITH SPLASHBACK

B





Refrigerated counter 700 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2020 x 700 x 960 mm
Packaging Dimensions (WxDxH)	2050 x 730 x 1010 mm
Net Volume lt	291 Lt
Gross Volume lt	580 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20"	16
Load capacity CNT 40"/ 40" HC	34

2015.50 €

CLV 4200 TN WITH SPLASHBACK

C




Refrigerated counter 700 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2500 x 700 x 960 mm
Packaging Dimensions (WxDxH)	2530 x 730 x 1010 mm
Net Volume lt	393 Lt
Gross Volume lt	760 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20"	12
Load capacity CNT 40"/ 40" HC	24

2286.65 €

GN 2100 TN

C



Refrigerated counter


Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 850 mm
Packaging Dimensions (WxDxH)	1410 x 750 x 880 mm
Net Volume lt	196 Lt
Gross Volume lt	282 Lt
Load capacity CNT 20"	24
Load capacity CNT 40"/ 40" HC	48 / 72

EKOFROST

933.80 €

GN 2200 TN WITH SPLASHBACK

C



Refrigerated counter

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 950 mm
Packaging Dimensions (WxDxH)	1410 x 750 x 980 mm
Net Volume lt	196 Lt
Gross Volume lt	282 Lt
Load capacity CNT 20"	24
Load capacity CNT 40"/ 40" HC	48

EKOFROST


977.30 €



GN 3100 TN



C



Refrigerated counter

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 850 mm
Packaging Dimensions (WxDxH)	1410 x 750 x 880 mm
Net Volume lt	196 Lt
Gross Volume lt	282 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48 / 72


EKOFROST

1097.65 €

GN 3200 TN WITH SPLASHBACK



C



Refrigerated counter

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 950 mm
Packaging Dimensions (WxDxH)	1410 x 750 x 980 mm
Net Volume lt	196 Lt
Gross Volume lt	282 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48


EKOFROST

1151.30 €

GN 4100 TN



C



Refrigerated counter

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 850 mm
Packaging Dimensions (WxDxH)	2275 x 750 x 880 mm
Net Volume lt	421 Lt
Gross Volume lt	553 Lt
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32 / 48


EKOFROST

1349.95 €

GN 4200 TN WITH SPLASHBACK



C



Refrigerated counter

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 950 mm
Packaging Dimensions (WxDxH)	2275 x 750 x 980 mm
Net Volume lt	421 Lt
Gross Volume lt	553 Lt
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32

EKOFROST

1416.65 €

CREAM 995 BT



D



Ice-cream deep freezer



Temperature	-22°C / -18°C
External Dimensions (WxDxH)	740 x 1046,5 x 210 mm
Packaging Dimensions (WxDxH)	760 x 1070 x 2154 mm
Net Volume lt	608 Lt
Gross Volume lt	852 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	33

2005,36 €

PXF 990 TN



C



Pastry cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	740 x 1046,5 x 2100 mm
Packaging Dimensions (WxDxH)	760 x 1070 x 2154 mm
Net Volume lt	608 Lt
Gross Volume lt	852 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	33

1834.25 €



PXF 2100 TN

B →



Pastry refrigerated counter


800 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 860 mm
Packaging Dimensions (WxDxH)	1540 x 830 x 910 mm
Net Volume lt	268 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

1326.75 €

PXF 2200 TN WITH SPLASHBACK

B →



Pastry refrigerated counter



800 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 960 mm
Packaging Dimensions (WxDxH)	1550 x 840 x 1010 mm
Net Volume lt	304 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

1400.70 €

PXF 3100 TN

C →



Pastry refrigerated counter


800 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2020 x 800 x 860 mm
Packaging Dimensions (WxDxH)	2050 x 830 x 910 mm
Net Volume lt	410 Lt
Gross Volume lt	635 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	28

1570.35 €

PXF 3200 TN WITH SPLASHBACK

C →



Pastry refrigerated counter


800 SERIES

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2020 x 800 x 960 mm
Packaging Dimensions (WxDxH)	2050 x 840 x 1010 mm
Net Volume lt	410 Lt
Gross Volume lt	635 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	28

1631.25 €

SALADETTE SF 901

C →




Saladette bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	900 x 700 x 870 mm
Packaging Dimensions (WxDxH)	978 x 760 x 1060 mm
Net Volume lt	160 Lt
Gross Volume lt	257 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	34
Load capacity CNT 40' / 40' HC	72

729.35 €

SALADETTE SF 903 TOP

C →



Saladette bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1368 x 700 x 870 mm
Packaging Dimensions (WxDxH)	1390 x 730 x 1054 mm
Net Volume lt	251 Lt
Gross Volume lt	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	22
Load capacity CNT 40' / 40' HC	48

1090.40 €



SALADETTE SF 903 PZ

C





Saladette bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1400 x 700 x 1010 mm
Packaging Dimensions (WxDxH)	1430 x 730 x 1264 mm
Net Volume lt	251 Lt
Gross Volume lt	400 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	22
Load capacity CNT 40' / 40' HC	48

1238.30 €

PZF 01 C

C





Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1515 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	1545 x 830 x 1050 mm
Net Volume lt	127 Lt
Gross Volume lt	221 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

1706.65 €

PZF 02

B





Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	1540 x 830 x 1050 mm
Net Volume lt	266 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

1458.70 €

PZF 02 C

B





Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2025 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	2055 x 830 x 1050 mm
Net Volume lt	266 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	28

1831.35 €

PZF 03

C





Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2020 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	2050 x 830 x 1050 mm
Net Volume lt	406 Lt
Gross Volume lt	635 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	28

1612.40 €

PZ 1610 TN

C




Pizza bench


Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1515 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	1545 x 830 x 1050 mm
Net Volume lt	132 Lt
Gross Volume lt	190 Lt
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	30

EKOFROST

1445.65 €



PZ 2600 TN





Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	1545 x 830 x 1050 mm
Net Volume lt	294 Lt
Gross Volume lt	390 Lt
Load capacity CNT 20'	14
Load capacity CNT 40'/ 40' HC	30

EKOFROST

1248.45 €

PZ 2610 TN





Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2025 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	2055 x 830 x 1050 mm
Net Volume lt	294 Lt
Gross Volume lt	390 Lt
Load capacity CNT 20'	12
Load capacity CNT 40'/ 40' HC	28

EKOFROST

1726.95 €

PZ 3600 TN



Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2020 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	2055 x 830 x 1050 mm
Net Volume lt	456 Lt
Gross Volume lt	580 Lt
Load capacity CNT 20'	12
Load capacity CNT 40'/ 40' HC	28

EKOFROST

1523.95 €

RWX 1202




Refrigerated food display cabinet

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1200 x 395 x 435 mm
High glass unit	204,5 mm
Packaging Dimensions (WxDxH)	1300 x 476 x 413 mm
GN stainless steel trays capacity	N° 4 GN1/3
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	105
Load capacity CNT 40'/ 40' HC	225

466.90 €

RWX 1402




Refrigerated food display cabinet

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1400 x 395 x 435 mm
High glass unit	204,5 mm
Packaging Dimensions (WxDxH)	1400 x 476 x 413 mm
GN stainless steel trays capacity	N° 6 GN1/3
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	85
Load capacity CNT 40'/ 40' HC	185

504.60 €


RWX 1502



Refrigerated food display cabinet


Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1500 x 395 x 435 mm
High glass unit	204,5 mm
Packaging Dimensions (WxDxH)	1600 x 476 x 413 mm
GN stainless steel trays capacity	N° 6 GN1/3
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	85
Load capacity CNT 40'/ 40' HC	180

519.10 €



RWX 1802

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1800 x 395 x 435 mm
High glass unit	204,5 mm
Packaging Dimensions (WxDxH)	1900 x 476 x 413 mm
GN stainless steel trays capacity	N° 8 GN1/3
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	75
Load capacity CNT 40' / 40' HC	155

574.20 €

RWX 2002

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2000 x 395 x 435 mm
High glass unit	204,5 mm
Packaging Dimensions (WxDxH)	2100 x 476 x 413 mm
GN stainless steel trays capacity	N° 9 GN1/3
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	60
Load capacity CNT 40' / 40' HC	125

588.70 €

VRX 1000/330 FG

Refrigerated food display cabinet




Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1000 x 335 x 435 mm
Packaging Dimensions (WxDxH)	1040 x 390 x 440 mm
GN stainless steel trays capacity	N° 4 GN1/4

EKOFROST

359.60 €

VRX 1200/330 FG

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1200 x 335 x 435 mm
Packaging Dimensions (WxDxH)	1260 x 410 x 440 mm
GN stainless steel trays capacity	N° 5 GN1/4
Load capacity CNT 40' HC	386

EKOFROST

363.95 €

VRX 1400/330 FG

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1400 x 335 x 435 mm
Packaging Dimensions (WxDxH)	1460 x 410 x 440 mm
GN stainless steel trays capacity	N° 6 GN1/4
Load capacity CNT 40' HC	336

EKOFROST

390.05 €

VRX 1500/330 FG

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1500 x 335 x 435 mm
Packaging Dimensions (WxDxH)	1560 x 410 x 440 mm
GN stainless steel trays capacity	N° 7 GN1/4
Load capacity CNT 40' HC	310

EKOFROST

414.70 €



VRX 1600/330 FG

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1600 x 335 x 435 mm
Packaging Dimensions (WxDxH)	1660 x 410 x 440 mm
GN stainless steel trays capacity	N° 8 GN1/4
Load capacity CNT 40' HC	294

EKOFROST

420.50 €

VRX 1800/330 FG

Refrigerated food display cabinet




Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1800 x 335 x 435 mm
Packaging Dimensions (WxDxH)	1860 x 410 x 440 mm
GN stainless steel trays capacity	N° 9 GN1/4
Load capacity CNT 40' HC	260

EKOFROST

449.50 €

VRX 2000/330 FG

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2000 x 335 x 435 mm
Packaging Dimensions (WxDxH)	2060 x 410 x 440 mm
GN stainless steel trays capacity	N° 10 GN1/4
Load capacity CNT 40' HC	242

EKOFROST

474.15 €

VRX 1000/380 FG

Refrigerated food display cabinet




Temperature	+2°C / +8°C
External Dimensions (WxDxH)	955 x 395 x 435 mm
Packaging Dimensions (WxDxH)	995 x 450 x 440 mm
GN stainless steel trays capacity	N° 2 GN1/3 + N° 1 GN 1/2

EKOFROST

363.95 €

VRX 1200/380 FG

Refrigerated food display cabinet




Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1200 x 395 x 435 mm
Packaging Dimensions (WxDxH)	1260 x 470 x 440 mm
GN stainless steel trays capacity	N° 3 GN1/3 + N° 1 GN 1/2
Load capacity CNT 40' HC	323

EKOFROST

381.35 €

VRX 1400/380 FG


Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1400 x 395 x 435 mm
Packaging Dimensions (WxDxH)	1460 x 470 x 440 mm
GN stainless steel trays capacity	N° 4 GN1/3 + N° 1 GN 1/2
Load capacity CNT 40' HC	280

EKOFROST

397.30 €



VRX 1500/380 FG

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1500 x 395 x 435 mm
Packaging Dimensions (WxDxH)	1560 x 470 x 440 mm
GN stainless steel trays capacity	N° 5 GN1/3 + N° 1 GN 1/2
Load capacity CNT 40' HC	261

EKOFROST

419.05 €

VRX 1600/380 FG

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1600 x 395 x 435 mm
Packaging Dimensions (WxDxH)	1660 x 470 x 440 mm
GN stainless steel trays capacity	N° 7 GN1/3
Load capacity CNT 40' HC	247

EKOFROST

424.85 €

VRX 1800/380 FG

Refrigerated food display cabinet




Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1800 x 395 x 435 mm
Packaging Dimensions (WxDxH)	1860 x 470 x 440 mm
GN stainless steel trays capacity	N° 8 GN1/3
Load capacity CNT 40' HC	218

EKOFROST

461.10 €

VRX 2000/380 FG

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2000 x 395 x 435 mm
Packaging Dimensions (WxDxH)	2060 x 470 x 440 mm
GN stainless steel trays capacity	N° 9 GN1/3
Load capacity CNT 40' HC	196


EKOFROST

487.20 €



DESCRIPTION	MODELS	ITEM	PRICE
STAINLESS STEEL SHELF (1PC.)	THIN AGER	MNS146	
SHELF	AXF 710 800 1520 1600 TN-BT	MNS008	
SHELF	AXF 700 1500 BT - TN GN 650 TN-BT	MNS168	
SHELF	CXF 2100 - 3100 - 4100 TN-BT	MNS071	
CASTORS WHEEL WITH BRAKE	AX CREAM PSX PZ AXF CXF	RUT019	
CASTORS WHEEL	AX CREAM PSX PZ AXF CXF	RUT022	
SMART LINK WIFI KIT (THERMOSTAT + RECEIVER)	THIN AGER SUSHI 120-135-150-180 FISHOW 70-100 GN 200 PS TN-BT GN 200 G TN-BT GN 400 PS TN-BT GN 400 TN-BT GN 600 PS TN-BT AXF 600 FISH AXF 350 TN-BT SNACK 400 TNF-BTF AXF 710-1510 TN-BT AXF 700-1500 TN-TNG-BT-BTG AXF 1520 TN-BT AXF 800-1600 TN-BT SNACK 2100-2200 TNF-BTF SNACK 3100-3200 TNF-BTF SNACK 3100-3200 TNF-BTF SNACK 4100-4200 TNF-BTF CXF 2100-2200 (TUTTI I MODELLI) CXF 3100-3200 (TUTTI I MODELLI) CXF 4100-4200 (TUTTI I MODELLI) CXF 2100-3100 BTN CLV 2200-3200-4200 TN PXF 2100-2200 TN PXF 3100-3200 TN SALADETTE SF 901 SALADETTE SF 903 TOP SALADETTE SF 903 PZ PZF 02 PZF 02 C PZF 03 PZF 01 C RWX 1202-1402-1502-1802-2002	SMART KIT	

IGLOO 18





Jumbo island freezer

Temperature	-18°C / -21°C
External Dimensions (WxDxH)	1850 x 850 x 795 mm
Packaging Dimensions (WxDxH)	1903 x 934 x 937 mm
Net Volume lt	436 Lt
Gross Volume lt	630 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24

1792.20 €

IGLOO 21





Jumbo island freezer

Temperature	-18°C / -21°C
External Dimensions (WxDxH)	2100 x 850 x 870 mm
Packaging Dimensions (WxDxH)	2175 x 934 x 1010 mm
Net Volume lt	621 Lt
Gross Volume lt	850 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24

1834.25 €

IGLOO 25





Jumbo island freezer

Temperature	-18°C / -21°C
External Dimensions (WxDxH)	2500 x 850 x 870 mm
Packaging Dimensions (WxDxH)	2580 x 934 x 1010 mm
Net Volume lt	766 Lt
Gross Volume lt	1040 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	8
Load capacity CNT 40'	8
Load capacity CNT 40' HC	16

2188.05 €

MANHATTAN 14





Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	1450 x 850 x 870 mm
Packaging Dimensions (WxDxH)	1554 x 994 x 1010 mm
Net Volume lt	402 Lt
Gross Volume lt	575 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	15
Load capacity CNT 40'	30
Load capacity CNT 40' HC	30

1813.95 €

MANHATTAN 18





Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	1850 x 850 x 870 mm
Packaging Dimensions (WxDxH)	1933 x 994 x 1010 mm
Net Volume lt	523 Lt
Gross Volume lt	745 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	12
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24

1979.25 €

MANHATTAN 21




Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	2100 x 850 x 870 mm
Packaging Dimensions (WxDxH)	2204 x 994 x 1010 mm
Net Volume lt	646 Lt
Gross Volume lt	900 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	8
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24

1950.25 €

MANHATTAN 25




Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	2500 x 850 x 870 mm
Packaging Dimensions (WxDxH)	2604 x 994 x 1010 mm
Net Volume lt	796 Lt
Gross Volume lt	1105 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	8
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24

2291.00 €

MANHATTAN BTM 145




Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	1454 x 850 x (870+210) mm
Packaging Dimensions (WxDxH)	1584 x 994 x 1205 mm
Net Volume lt	402 Lt
Gross Volume lt	575 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	11
Load capacity CNT 40'	20
Load capacity CNT 40' HC	20

1686.35 €

ALASKA TOP 145




Freezer showcase

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1450 x 590 x 1022 mm
Packaging Dimensions (WxDxH)	1530 x 660 x 1245 mm
Net Volume lt	232 Lt
Gross Volume lt	373 Lt
Load capacity CNT 20'	11
Load capacity CNT 40'	20
Load capacity CNT 40' HC	20

1657.35 €

MANHATTAN BTM 210




Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	2104 x 850 x (870+210)
Packaging Dimensions (WxDxH)	2234 x 994 x 1205 mm
Net Volume lt	646 Lt
Gross Volume lt	900 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	7
Load capacity CNT 40'	14
Load capacity CNT 40' HC	14

1883.55 €

ALASKA TOP 210




Freezer showcase

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	2100 x 590 x 1022 mm
Packaging Dimensions (WxDxH)	2180 x 660 x 1245 mm
Net Volume lt	346 Lt
Gross Volume lt	559 Lt
Load capacity CNT 20'	7
Load capacity CNT 40'	14
Load capacity CNT 40' HC	14

2173.55 €

OPEN 400




Multideck cooler

Temperature	+2°C / +10°C
External Dimensions (WxDxH)	918 x 792 x 1459 mm
Packaging Dimensions (WxDxH)	1010 x 940 x 1685 mm
Net Volume lt	270 Lt
Gross Volume lt	320 Lt
Load capacity CNT 20'	12
Load capacity CNT 40' HC	24

2602.75 €

MR 75 TN1 BLK




Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	750 x 710 x 2003 mm
Packaging Dimensions (WxDxH)	775 x 760 x 2090 mm
Net Volume lt	459 Lt
Gross Volume lt	614 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

1174.50 €

MR 75 TN1 GRY




Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	750 x 710 x 2003 mm
Packaging Dimensions (WxDxH)	775 x 760 x 2090 mm
Net Volume lt	459 Lt
Gross Volume lt	614 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

1112.15 €

MR 75 BT1




Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	750 x 760 x 2003 mm
Packaging Dimensions (WxDxH)	775 x 780 x 2090 mm
Net Volume lt	390 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

1786.40 €

MR 75 BT1 BLK




Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	750 x 760 x 2003 mm
Packaging Dimensions (WxDxH)	775 x 780 x 2090 mm
Net Volume lt	390 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

1886.45 €

MR 75 BT1 GRY




Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	750 x 760 x 2003 mm
Packaging Dimensions (WxDxH)	775 x 780 x 2090 mm
Net Volume lt	390 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

1786.40 €

MR 126 TN2 BLK




Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1253 x 710 x 2003 mm
Packaging Dimensions (WxDxH)	1278 x 760 x 2090 mm
Net Volume lt	809 Lt
Gross Volume lt	1081 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	-
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

1769.00 €

MR 126 TN2 GRY




Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1253 x 710 x 2003 mm
Packaging Dimensions (WxDxH)	1278 x 760 x 2090 mm
Net Volume lt	809 Lt
Gross Volume lt	1081 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 20'	-
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

1676.20 €

MR 126 BT2 BLK




Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	1253 x 760 x 2003 mm
Packaging Dimensions (WxDxH)	1280 x 770 x 2090 mm
Net Volume lt	702 Lt
Gross Volume lt	1006 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

2808.65 €

MR 126 BT2 GRY




Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	1253 x 760 x 2003 mm
Packaging Dimensions (WxDxH)	1280 x 770 x 2090 mm
Net Volume lt	702 Lt
Gross Volume lt	1006 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

2660.75 €

MR 188 TN3 BLK




Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1880 x 710 x 2003 mm
Packaging Dimensions (WxDxH)	1905 x 760 x 2090 mm
Net Volume lt	1246 Lt
Gross Volume lt	1664 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	18
Load capacity CNT 40' HC	18

2521.55 €

MR 188 TN3 GRY




Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1880 x 710 x 2003 mm
Packaging Dimensions (WxDxH)	1905 x 760 x 2090 mm
Net Volume lt	1246 Lt
Gross Volume lt	1664 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	18
Load capacity CNT 40' HC	18

2389.60 €

MR 188 BT3 BLK




Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	1880 x 760 x 2003 mm
Packaging Dimensions (WxDxH)	1905 x 780 x 2090 mm
Net Volume lt	1090 Lt
Gross Volume lt	1563 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	18
Load capacity CNT 40' HC	18

3643.85 €

MR 188 BT3 GRY




Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	1880 x 760 x 2003 mm
Packaging Dimensions (WxDxH)	1905 x 780 x 2090 mm
Net Volume lt	1090 Lt
Gross Volume lt	1563 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	18
Load capacity CNT 40' HC	18

3452.45 €

MR 250 TN4 BLK




Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	2508 x 710 x 2003 mm
Packaging Dimensions (WxDxH)	2533 x 760 x 2090 mm
Net Volume lt	1683 Lt
Gross Volume lt	2248 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	12
Load capacity CNT 40' HC	12

3735.20 €

MR 250 TN4 GRY



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	2508 x 710 x 2003 mm
Packaging Dimensions (WxDxH)	2533 x 760 x 2090 mm
Net Volume lt	1683 Lt
Gross Volume lt	2248 Lt
Smart Link Wifi (Kit)	Optional
Load capacity CNT 40'	12
Load capacity CNT 40' HC	12

3538.00 €

ROMA 70 TN BLK



Multideck freezer

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	700 x 700 x 1967 mm
Packaging Dimensions (WxDxH)	755 x 735 x 2100 mm
Net Volume lt	371 Lt
Gross Volume lt	489 Lt
Smart Link Wifi (Kit)	Optional

1116.50 €

ROMA 124 TN BLK



Multideck freezer

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1245 x 727 x 1967 mm
Packaging Dimensions (WxDxH)	1300 x 765 x 2100 mm
Net Volume lt	697 Lt
Gross Volume lt	988 Lt
Smart Link Wifi (Kit)	Optional

1838.60 €

ROMA 187 TN BLK



Multideck freezer

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1873 x 727 x 1967 mm
Packaging Dimensions (WxDxH)	1930 x 765 x 2100 mm
Net Volume lt	1070 Lt
Gross Volume lt	1523 Lt
Smart Link Wifi (Kit)	Optional

2672.35 €

ROMA 250 TN BLK



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	2500 x 727 x 1967 mm
Packaging Dimensions (WxDxH)	2560 x 765 x 2100 mm
Net Volume lt	1488 Lt
Gross Volume lt	2057 Lt
Smart Link Wifi (Kit)	Optional

3870.05 €

ROMA 68 BT BLK



Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	680 x 745 x 1967 mm
Packaging Dimensions (WxDxH)	735 x 763 x 2100 mm
Net Volume lt	288 Lt
Gross Volume lt	415 Lt
Smart Link Wifi (Kit)	Optional

1493.50 €

ROMA 137 BT BLK





Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	1370 x 745 x 1967 mm
Packaging Dimensions (WxDxH)	1425 x 763 x 2100 mm
Net Volume lt	655 Lt
Gross Volume lt	910 Lt
Smart Link Wifi (Kit)	Optional

3063.85 €

VISION 150





Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1310 x 740 x 2010 mm
Packaging Dimensions (WxDxH)	1340 x 767 x 2120 mm
Net Volume lt	764 Lt
Gross Volume lt	1292 Lt
Load capacity CNT 40' HC	25

2860.85 €

VISION 200





Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1935 x 740 x 2010 mm
Packaging Dimensions (WxDxH)	1965 x 767 x 2120 mm
Net Volume lt	1147 Lt
Gross Volume lt	1939 Lt
Load capacity CNT 40' HC	18

3967.20 €

VISION 250




Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	2560 x 740 x 2010 mm
Packaging Dimensions (WxDxH)	2590 x 767 x 2120 mm
Net Volume lt	1529 Lt
Gross Volume lt	2585 Lt
Load capacity CNT 40' HC	12

4925.65 €

SAMA 95 L





Meat & deli counter

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1000 x 1000 x 1280 mm
Packaging Dimensions (WxDxH)	1100 x 1100 x 1430 mm
Display area	0,7 mq
Smart Link Wifi (Kit)	Optional

2913.05 €

SAMA 125 L





Meat & deli counter

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1310 x 1000 x 1280 mm
Packaging Dimensions (WxDxH)	1410 x 1100 x 1430 mm
Display area	0,9 mq
Smart Link Wifi (Kit)	Optional

3159.55 €

SAMA 150 L





Meat & deli counter

Temperature	+0°C / +10°C
External Dimensions (WxDxH)	1560 x 1000 x 1280 mm
Packaging Dimensions (WxDxH)	1660 x 1100 x 1430 mm
Display area	1,1 mq
Smart Link Wifi (Kit)	Optional

3698.95 €

SAMA 125 XL





Meat & deli counter

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1310 x 1200 x 1280 mm
Packaging Dimensions (WxDxH)	1410 x 1300 x 1430 mm
Display area	1,13 mq
Smart Link Wifi (Kit)	Optional

3256.70 €

SAMA 150 XL





Meat & deli counter

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1560 x 1200 x 1280 mm
Packaging Dimensions (WxDxH)	1660 x 1300 x 1430 mm
Display area	1,36 mq
Smart Link Wifi (Kit)	Optional

3768.55 €

SAMA 190 XL




Meat & deli counter

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1935 x 1200 x 1280 mm
Packaging Dimensions (WxDxH)	2035 x 1300 x 1430 mm
Display area	1,69 mq
Smart Link Wifi (Kit)	Optional

4566.05 €

SAMA 250 XL



Meat & deli counter

Temperature	0°C / +10°C
External Dimensions (WxDxH)	2560 x 1200 x 1280 mm
Packaging Dimensions (WxDxH)	2660 x 1300 x 1430 mm
Display area	2,25 mq
Smart Link Wifi (Kit)	Optional

5466.50 €



DESCRIPTION	MODELS	ITEM	PRICE
SHELF (1PC.)	MR 75 TN1 GRY	MNS078	
SHELF (1PC.)	MR 75 BT1 GRY	MNS079	
LATERAL SHELF (1PC.)	MR 126 TN2 MR 188 TN3 MR 250 TN4 GRY	MNS087	
LATERAL SHELF (1PC.)	MR 126 BT2 MR 188 BT3 GRY	MNS088	
CENTRAL SHELF (1PC.)	MR 188 TN3 MR 250 TN4 GRY	MNS089	
CENTRAL SHELF (1PC.)	MR 188 BT3 GRY	MNS090	
CENTRAL SHELF (1PC.)	MR 188 TN3 MR 250 TN4 BLACK	MNS185	
LATERAL SHELF (1PC.)	MR 126 TN2 MR 188 TN3 MR 250 TN4 BLACK	MNS186	
SHELF (1PC.)	MR 75 TN1 BLACK	MNS192	
SHELF (1PC.)	MR 75 BT1 BLACK	MNS193	
CENTRAL SHELF (1PC.)	MR 188 BT3 BLACK MR 250 BT4 BLACK	MNS194	
LATERAL SHELF (1PC.)	MR 126 BT2 MR 188 BT3 BLACK	MNS195	
SMART LINK WIFI KIT (THERMOSTAT + RECEIVER)	IGLOO 18-21-25 MANHATTAN 14-18-21-25 MANHATTAN TOP 145 - 210 ALASKA TOP 145 - 210 OPEN 400 MR 75 BT1 - 126 BT2 - 188 BT3 MR 75 TN1 - 126 TN2 - 188 TN3 - 250 TN4 SAMA 95 - 125 - 150 L SAMA 125 - 150 - 190 - 250 XL	SMART KIT	

Reproduction in whole or in part of texts, images, drawings or any type of material included in this catalogue is prohibited.

La Mito srl Distribuzione reserves the right to make any change in materials and product itself without notice.

Photos and data contained in the catalogue are to be considered reliable except for printing errors.

Prices may vary so, before proceeding with an order, please check to the commercial office.



**MONTEK
SISTEMI**



MONTEK SISTEMI d.o.o.

Dr. Franje Tuđmana 12
Glavica, Hrvatska

OIB: 28063757095

+385 98 911 5724
info@montek-sistemi.hr

www.montek-sistemi.hr